

OSCAR

P O O L

USA



2025
PRODUCT
CATALOG


oscarpool.com.tr

OSCAR
POOL



www.oscarpool.com.tr

GENERAL POOL EQUIPMENT ASSEMBLY DIAGRAM



1 Pump with prefilter

2 Polyester sand filter

3 U-PVC ball valve

4 U-PVC butterfly valve

5 U-PVC spring checkvalve

6 U-PVC swing checkvalve

7 Pool over flow gratings

8 Bottom grid

9 Nozzle for feeding from bottom side

10 Vacuum nozzle

11 Pool ladder

12 Exchangers and electric heaters

13 Pool UV-C

14 Disinfection systems

15 Pool lightening armature

16 Electric board

17 Dosing pump (Clear floc liquid)

18 Level regulator

INDEX

6 **POOL PUMPS**

14 **SAND Filters**

34 **EQUIPMENT**

58 **POOL CLEANING**


64 **TEXPOOL POOL LINER**

70 **POOL GLASS MOSAIC
HANDLES & NON-SLIP
MATS**

78 **OLYMPIC POOL**


88 **SPARE PART**

98 **QUALITY**





QSCAR
POOL



POOL PUMPS

6-13

FLORIDA SERIES

MADE IN TURKEY   ISO 9001:2015

60 HZ
3450 D/DAK.
IP 55




Single-phase Plastic Pumps with Prefilter


Code	Material Type	Kg/Quantity	Box Size	Flow Rate (9mss)	Price
OSC WTA001-60	OSC WTA001 0.50 HP Oscarpool Pump with Prefilter (Single-phase)-60 HZ	8,50	0,21x0,60x0,35	12 m ³ /h	322,00 \$
OSC WTA002-60	0,75 Oscarpool Pump with Prefilter (Single-phase)-60 HZ	8,80	0,21x0,60x0,35	14 m ³ /h	343,00 \$
OSC WTA003-60	1,00 Oscarpool Pump with Prefilter (Single-phase)-60 HZ	10,35	0,21x0,60x0,35	17 m ³ /h	354,00 \$
OSC WTA004-60	1,50 Oscarpool Pump with Prefilter (Single-phase)-60 HZ	11,45	0,21x0,60x0,35	21 m ³ /h	390,00 \$

Three-phase Plastic Pumps with Prefilter

Code	Material Type	Kg/Quantity	Box Size	Flow Rate (9mss)	Price
OSC WTA009-60	0.75 HP Oscarpool Pump with Prefilter (Three-phase)-60 HZ	8,80	0,21x0,60x0,35	14 m ³ /h	343,00 \$
OSC WTA006-60	1,00 HP Oscarpool Pump with Prefilter (Three-phase)-60 HZ	10,35	0,21x0,60x0,35	17 m ³ /h	354,00 \$
OSC WTA007-60	1,50 HP Oscarpool Pump with Prefilter (Three-phase)-60 HZ	11,45	0,21x0,60x0,35	21 m ³ /h	390,00 \$



MODEL	QMAX (l/min)	Hmax (m)	Power (P ₁)		Power (P ₂)		Fitting size (mm)
			kW	HP	kW	HP	
FLORIDA 0.50	195	7	0,37	0,5	0,25	0,33	50 63
FLORIDA 0.75	255	10	0,55	0,75	0,37	0,5	
FLORIDA 1.00	340	12.5	0,75	1,0	0,55	0,75	
FLORIDA 1.50	390	17.5	1,1	1,5	0,75	1,0	



POWER	HEAD (mss)									
	6	8	10	12	14	16	18	20	22	
0,75 HP	16	15	11	7	4	1,5				
1,00 HP	19	17,5	16	14	12	10	6			
1,50 HP	23	21,5	20	18	16	14	10			
2,00 HP	27	25	23,5	21	19	17	14	10	3	
3,00 HP	35	33	31	29	26	23	17	14	5	

BEST MODEL

MADE IN TURKEY CE TSE ISO 9001:2015

60 HZ
3450 D/DAK.
IP 55



Single-phase Plastic Pumps with Prefilter

Code	Material Type	Kg/ Quantity	Box Size	Flow Rate (9mss)	Box / Piece	Price
OSC POM001-60	0,75 HP Pump with Prefilter (Single-phase)-60 HZ	19,30	0,32x0,66x0,44	14 m ³ /h	1	516,00 \$
OSC POM002-60	1,00 HP Pump with Prefilter (Single-phase)-60 HZ	20,40	0,32x0,66x0,44	17 m ³ /h	1	549,00 \$
OSC POM003-60	1,50 HP Pump with Prefilter (Single-phase)-60 HZ	23,10	0,32x0,66x0,44	21 m ³ /h	1	615,00 \$
OSC POM004-60	2,00 HP Pump with Prefilter (Single-phase)-60 HZ	25,70	0,32x0,66x0,44	25 m ³ /h	1	626,00 \$
OSC POM005-60	3,00 HP Pump with Prefilter (Single-phase)-60 HZ	26,90	0,32x0,66x0,44	32 m ³ /h	1	659,00 \$

Three-phase Plastic Pumps with Prefilter


Code	Material Type	Kg/ Quantity	Box Size	Flow Rate (9mss)	Box / Piece	Price
OSC POM006-60	1,00 HP Pump with Prefilter (Three-phase)-60 HZ	21,00	0,32x0,66x0,44	17 m ³ /h	1	549,00 \$
OSC POM007-60	1,50 HP Pump with Prefilter (Three-phase)-60 HZ	23,60	0,32x0,66x0,44	21 m ³ /h	1	615,00 \$
OSC POM008-60	2,00 HP Pump with Prefilter (Three-phase)-60 HZ	26,50	0,32x0,66x0,44	25 m ³ /h	1	626,00 \$
OSC POM009-60	3,00 HP Pump with Prefilter (Three-phase)-60 HZ	27,00	0,32x0,66x0,44	32 m ³ /h	1	659,00 \$

60 HZ
3450 D/DAK.
IP 55




Trifaze - Monofaze Ön Filtresiz

Code	Material Type	Kg/ Quantity	Box Size	Flow Rate (9mss)	Box / Piece	Price
OSC POM010-60	0,75 HP Without Prefilter (Single-phase)-60 HZ	17,60	0,32x0,66x0,44	14 m ³ /h	1	494,00 \$
OSC POM011-60	1,00 HP Without Prefilter (Single- Three)-60 HZ	18,65	0,32x0,66x0,44	17 m ³ /h	1	527,00 \$
OSC POM012-60	1,50 HP Without Prefilter (Single- Three)-60 HZ	21,05	0,32x0,66x0,44	21 m ³ /h	1	593,00 \$
OSC POM013-60	2,00 HP Without Prefilter (Single- Three)-60 HZ	24,25	0,32x0,66x0,44	25 m ³ /h	1	604,00 \$
OSC POM014-60	3,00 HP Without Prefilter (Single- Three)-60 HZ	25,44	0,32x0,66x0,44	32 m ³ /h	1	637,00 \$



Power	HEAD (mss)									
	6	8	10	12	14	16	18	20	22	
	DEBIT M³/h									
0,75 HP	16	15	11	7	4	1,5				
1,00 HP	19	17,5	16	14	12	10	6			
1,50 HP	23	21,5	20	18	16	14	10			
2,00 HP	27	25	23,5	21	19	17	14	10	3	
3,00 HP	35	33	31	29	26	23	17	14	5	



STORM MODEL

Türkiye
MADE IN TURKEY

CE TSE ISO 9001:2015

60 HZ
2850 D/DAK.
IP 55



Three-phase Plastic Pump with Prefilter

Code	Description	Kg/ Quantity	Box Size	Flow rate (9mss)	Box/Piece	Price
OSC POM015-60	3,50 HP Storm Pump with Pre-Filter (Three-phase)	33,75	0,38x0,80x0,60	64 m ³ /h	1	908,00 €
OSC POM016-60	4,50 HP Storm Pump with Pre-Filter (Three-phase)	41,20	0,38x0,80x0,60	77 m ³ /h	1	1.148,00 €
OSC POM017-60	5,50 HP Storm Pump with Pre-Filter (Three-phase)	41,50	0,38x0,80x0,60	85 m ³ /h	1	1.173,00 €

STORM MODEL

Türkiye
MADE IN TURKEY



CE TSE ISO 9001:2015

60 HZ
2850 D/DAK.
IP 55




Three-phase Plastic Pump without Prefilter

Code	Description	Kg/ Quantity	Box Size	Flow rate (9mss)	Box/Piece	Price
OSC POM018-60	3,50 HP Storm Pump without Pre-Filter (Three-phase)	26,50	0,38x0,80x0,60	66 m ³ /h	1	839,00 €
OSC POM019-60	4,50 HP Storm Pump without Pre-Filter (Three-phase)	29,80	0,38x0,80x0,60	79 m ³ /h	1	1.081,00 €
OSC POM020-60	5,50 HP Storm Pump without Pre-Filter (Three-phase)	29,90	0,38x0,80x0,60	87 m ³ /h	1	1.104,00 €



GÜÇ	BASMA YÜKSEKLİĞİ (mss)										
	6	8	10	12	14	16	18	20	22		
3,50 HP	77	70	61	51	33	15					
4,50 HP	86	80	74	66	54	42	21				
5,50 HP	94	88	81	75	66	56	42	20	4		

Debi Diyagramı



STORM MODEL

MADE IN TURKEY   ISO 9001:2015

60 HZ
3450 D/DAK.
IP 55



BRONZ FAN



Three-phase Plastic Pumps with Prefilter

Code	Material Type	Kg/Quantity	Box Size	Flow Rate (9mss)	Box / Piece	Price
OSC POM021	7,50 HP Storm Pump with Prefilter (Three-phase)	79,00	0,46x0,97x0,67	130 m ³ /h	1	1.350,00 \$
OSC POM022	10,00 HP Storm Pump with Prefilter (Three-phase)	86,00	0,46x0,97x0,67	145 m ³ /h	1	1.550,00 \$
OSC POM063	12,50 HP Storm Pump with Prefilter (Three-phase)	85,00	0,46x0,97x0,67	155 m ³ /h	1	1.750,00 \$
OSC POM064	15,00 HP Storm Pump with Prefilter (Three-phase)	87,00	0,46x0,97x0,67	180 m ³ /h	1	2.150,00 \$

STORM MODEL

MADE IN TURKEY   ISO 9001:2015

60 HZ
3450 D/DAK.
IP 55






BRONZ FAN





Trifaze Ön Filtresiz

Code	Material Type	Kg/Quantity	Box Size	Flow Rate (9mss)	Box / Piece	Price
OSC POM023	7,50 HP Storm Pump with Prefilter (Three-phase)	70,00	0,46x0,97x0,67	140 m ³ /h	1	1.290,00 \$
OSC POM024	10,00 HP Storm Pump with Prefilter (Three-phase)	76,00	0,46x0,97x0,67	155 m ³ /h	1	1.490,00 \$
OSC POM065	12,50 HP Storm Pump with Prefilter (Three-phase)	83,00	0,46x0,97x0,67	160 m ³ /h	1	1.690,00 \$
OSC POM066	15,00 HP Storm Pump with Prefilter (Three-phase)	85,00	0,46x0,97x0,67	190 m ³ /h	1	2.090,00 \$



Power	HEAD (mss)									
	8	10	12	14	16	18	20	22	24	26
7,50 HP	135	126	113	100	90	76	44			
10,00 HP	148	143	137	126	120	107	97	80	50	




Power	HEAD (mss)									
	10	12	14	16	18	20	22	24	26	28
12,5 HP	158	153	147	137	128	116	110	90	60	
15 HP	175	166	158	150	138	130	120	110	90	46

Pump Usage Diagram


Power	Suction Line Pipe	Pumping Line Pipe Diameter
0,75 HP PUMP	63 mm	63 mm
1 HP PUMP	75 mm	63 mm
1,5 HP PUMP	90 mm	63 mm
2 HP PUMP	90 mm	75 mm
3 HP PUMP	110 mm	90 mm
3,5 HP PUMP	110 mm	90 mm
4,5 HP PUMP	125 mm	110 mm
5,5 HP PUMP	140 mm	110 mm
7,5 HP PUMP	160 mm	125 mm
10 HP PUMP	200 mm	160 mm
12,5 HP PUMP	225 mm	200 mm
15 HP PUMP	250 mm	200 mm

Motor Power 0,75 - 1 - 1,5 - 2 - 3 HP	Motor Power 1 - 1,5 - 2 - 3 - 3,5 - 4,5 - 5,5 HP	Motor Power 7,5 - 10 - 12,5 - 15 HP
Power Supply 1-phase 220 V	Power Supply 3-phase 380 V	Power Supply 3-phase 380 V
Connection (a)	Y - Connection (b)	Y/Δ - Connection (c) (Y will run for 3 seconds, then switch to Δ)




Single-phase Motor Power Diagram

Watt Motor




Volt Motor



Three-phase Motor Power Diagram

7,5 - 10 - 12,5 - 15 HP Y/Δ - Connection Power Diagram




POLYESTER PUMP STAND



POLYESTER PUMP STAND

Code	Material Type	Kg/Quantity	Box Size	Box / Piece	Price
OSC POM038	Single Polyester Pump Stand	2,35	0,20x0,55x0,34	1	45,00 \$
OSC POM039	Double Polyester Pump Stand	4,70	0,20x1,02x0,34	1	65,00 \$
OSC POM040	Triple Polyester Pump Stand	12,00	0,90x0,60x0,26	1	85,00 \$
OSC POM041	Quintet Polyester Pump Stand	14,50	1,80x0,80x0,26	1	100,00 \$

PLASTİK PUMP STAND



PUMP Sehpası (Plastik)

Code	Material Type	Size / mm			Kg/Quantity	Box Size	Box / Piece	Price
		A	B	C				
OSC POM067	Tekli Plastic PUMP Sehpası	415	255	205	3,70	0,415x0,255x0,205	1	8,00 \$



QSCAR
POOL



SAND Filters

14-33

CALIFORNIA MODEL




CALIFORNIA MODEL



Plastic Sand Filters							
Code	Material Type	Flow Rate (9mss)			Connection	Box / Piece	Price
		30 m ³ /h/m ²	40 m ³ /h/m ²	50 m ³ /h/m ²			
OSC PLS-S 0300	300 mm Plastic filter California	2,10	2,80	3,50	D 50	1	195,00 \$
OSC PLS-S 0400	400 mm Plastic filter California	4,00	5,00	6,00	D 50	1	205,00 \$
OSC PLS-S 0500	500 mm Plastic filter California	6,00	8,00	10,00	D 50	1	235,00 \$
OSC PLS-S 0600	600 mm Plastic filter California	8,50	11,30	14,00	D 50	1	245,00 \$
OSC PLS-S 0760	760 mm Plastic filter California	14,00	18,00	22,00	D 50	1	350,00 \$

Our product is made of plastic produced by blow molding technique. Filter interconnections and six-way valve are available. (Six-way valve is included in the price.)

Sand Filter Technical Specifications									
Code	A	B	C	D	Filtering Area m2	Fine sand	Medium Sand	Coarse sand	Total Sand Amount
OSC PLS-S 0300	300 cm	12,7 cm	51 cm	21,7 cm	0,07	20 kg	20 kg	-	40 kg
OSC PLS-S 0400	400 cm	12,7 cm	57 cm	23,7 cm	0,125	25 kg	25 kg	-	50 kg
OSC PLS-S 0500	500 cm	13 cm	73 cm	30,3 cm	0,197	50 kg	25 kg	-	75 kg
OSC PLS-S 0600	600 cm	13,5 cm	80,5 cm	32,3 cm	0,282	100 kg	50 kg	-	150 kg
OSC PLS-S 0760	760 cm	14,2 cm	94 cm	43,2 cm	0,454	200 kg	100 kg	-	300 kg



TOP-MOUNT CALIFORNIA SAND FILTER MODEL



TOP-MOUNT CALIFORNIA SAND FILTER MODEL



Top-Mount Valve Plastic Sand Filters

Code	Material Type	Flow Rate (9mss)			Connection	Box/ Quantity	Price
		30 m ³ /h/m ²	40 m ³ /h/m ²	50 m ³ /h/m ²			
OSC PLS-S 0300-1	300 mm Top-Mount California Sand Filter Model	2,10	2,80	3,50	D 50	1	210,00 \$
OSC PLS-S 0400-1	400 mm Top-Mount California Sand Filter Model	4,00	5,00	6,00	D 50	1	220,00 \$
OSC PLS-S 0500-1	500 mm Top-Mount California Sand Filter Model	6,00	8,00	10,00	D 50	1	250,00 \$
OSC PLS-S 0600-1	600 mm Top-Mount California Sand Filter Model	8,50	11,30	14,00	D 50	1	260,00 \$

Our product is made of plastic produced by blow molding technique. Filter interconnections and six-way valve are available. (Six-way valve is included in the price.)

Sand Filter Technical Specifications

Code	A	B	Filtering Area m ²	Fine sand	Medium Sand	Coarse sand	Total Sand Amount
OSC PLS-S 0300-1	300 cm	650 cm	0,07	20 kg	20 kg	-	40 kg
OSC PLS-S 0400-1	400 cm	750 cm	0,125	25 kg	25 kg	-	50 kg
OSC PLS-S 0500-1	500 cm	880 cm	0,197	50 kg	25 kg	-	75 kg
OSC PLS-S 0600-1	600 cm	998 cm	0,282	100 kg	50 kg	-	150 kg



PLASTIC SAND Filters (ECOSTAR)



3,5 BAR TEST
BASINCI




Ecostar Plastic Sand Filters

Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Box Size	Quantity/ Box	Price
		30 m ³ /h/m ²	40 m ³ /h/m ²	50 m ³ /h/m ²					
OSC PLS 0400	400 mm Plastic filter	4,00	5,00	6,00	D 50	10,45	0,42x0,42x0,55	1	230,00 \$
OSC PLS 0500	500 mm Plastic filter	6,00	8,00	10,00	D 50	12,95	0,50x0,50x0,65	1	260,00 \$
OSC PLS 0620	620 mm Plastic filter	9,00	12,00	15,00	D 50	21,00	0,65x0,65x0,77	1	275,00 \$
OSC PLS 0760	760 mm Plastic filter	14,00	18,00	22,00	D 63	32,00	0,76x0,76x0,91	1	380,00 \$
OSC PLS 0920	920 mm Plastic filter	20,00	27,00	33,00	D 63	44,50	0,92x0,92x1,00	1	480,00 \$
OSC PLS 1050	1050 mm Plastic filter	25,00	34,00	43,00	D 90			1	Price Sorunuz

Plastic sand filter on a monoblock polyethylene body. With side valve connection.
6-way valve is Note included for 1050 mm plastic filter.

Sand Filter Technical Specifications

Code	A	B	C	D	Filtering Area m ²	Fine sand	Medium Sand	Coarse sand	Total Sand Amount
OSC PLS 0400	40 cm	19 cm	58 cm	12,5 cm	0,125	25 kg	25 kg	-	50 kg
OSC PLS 0500	50 cm	24,5 cm	68 cm	12,5 cm	0,197	50 kg	25 kg	-	75 kg
OSC PLS 0620	62 cm	27,5 cm	77 cm	13,5 cm	0,303	100 kg	50 kg	-	150 kg
OSC PLS 0760	76 cm	37 cm	96 cm	16 cm	0,454	200 kg	100 kg	-	300 kg
OSC PLS 0920	92 cm	42 cm	107 cm	20 cm	0,665	300 kg	150 kg		450 kg
OSC PLS 1050	105 cm	47 cm	115 cm	27 cm	0,866	400 kg	200 kg	150 kg	750 kg



TOP-MOUNT VALVE PLASTIC SAND Filters



Ecostar Plastic Sand Filters

Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Box Size	Quantity/ Box	Price
		30 m³/h/m²	40 m³/h/m²	50 m³/h/m²					
OSC PLS 0400-1	400 mm Plastic filter	4,00	5,00	6,00	D 50	10,45	0,42x0,42x0,55	1	290,00 \$
OSC PLS 0500-1	500 mm Plastic filter	6,00	8,00	10,00	D 50	12,95	0,50x0,50x0,65	1	320,00 \$
OSC PLS 0620-1	620 mm Plastic filter	9,00	12,00	15,00	D 50	21,00	0,65x0,65x0,77	1	370,00 \$
OSC PLS 0760-1	760 mm Plastic filter	14,00	18,00	22,00	D 63	32,00	0,76x0,76x0,91	1	490,00 \$
OSC PLS 0920-1	920 mm Plastic filter	20,00	27,00	33,00	D 63	44,50	0,92x0,92x1,00	1	720,00 \$

Plastic sand filter on a monoblock polyethylene body. Üstten vana Connectionlı.

Sand Filter Technical Specifications

Code	A	B	C	Filtering Area m²	Fine sand	Medium Sand	Coarse sand	Total Sand Amount
OSC PLS 0400-1	40 cm	66,5 cm	40 cm	0,125	25 kg	25 kg	-	50 kg
OSC PLS 0500-1	56,5 cm	77,5 cm	50 cm	0,197	50 kg	25 kg	-	75 kg
OSC PLS 0620-1	64 cm	85 cm	62 cm	0,303	100 kg	50 kg	-	150 kg
OSC PLS 0760-1	80 cm	106 cm	76 cm	0,454	200 kg	100 kg	-	300 kg
OSC PLS 0920-1	93 cm	119 cm	92 cm	0,665	300 kg	150 kg	-	450 kg



CANADA MODEL



4 BAR TEST
BASINCI



Polyester Sand Filters									
Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Box Size	Quantity/ Box	Price
		30 m ³ /h/m ²	40 m ³ /h/m ²	50 m ³ /h/m ²					
OSC FLT037	400 mm Polyester Filter	4,00	5,00	6,00	D 50	13,50	0,50x0,50x0,65	1	295,00 \$
OSC FLT001	500 mm Polyester Filter	6,00	8,00	10,00	D 50	15,50	0,50x0,50x0,65	1	315,00 \$
OSC FLT002	620 mm Polyester Filter	9,00	12,00	15,00	D 50	24,00	0,65x0,65x0,77	1	360,00 \$
OSC FLT003	760 mm Polyester Filter	14,00	18,00	22,00	D 63	35,00	0,76x0,76x0,90	1	460,00 \$
OSC FLT038	800 mm Polyester Filter	16,00	21,00	25,00	D 63	40,00	0,76x0,76x0,90	1	510,00 \$
OSC FLT039	830 mm Polyester Filter	17,00	22,00	28,00	D 63	43,00	0,76x0,76x0,90	1	530,00 \$
OSC FLT004	920 mm Polyester Filter	20,00	27,00	33,00	D 63	44,50	0,92x0,92x1,00	1	560,00 \$

Polyester fiber reinforced sand filter on a monoblock polyester and fiberglass body.

OZONE-RESISTANT CANADA MODEL WITH DOUBLE-LAYER POLYVINYL ESTER COATINGMODEL



4 BAR TEST
BASINCI



Polyester Sand Filters									
Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Box Size	Quantity/ Box	Price
		30 m ³ /h/m ²	40 m ³ /h/m ²	50 m ³ /h/m ²					
OSC FLT037-1	400 mm Polyester Filter	4,00	5,00	6,00	D 50	15,50	0,50x0,50x0,65	1	610,00 \$
OSC FLT001-1	500 mm Polyester Filter	6,00	8,00	10,00	D 50	15,50	0,50x0,50x0,65	1	702,00 \$
OSC FLT002-1	620 mm Polyester Filter	9,00	12,00	15,00	D 50	24,00	0,65x0,65x0,77	1	816,00 \$
OSC FLT003-1	760 mm Polyester Filter	14,00	18,00	22,00	D 63	35,00	0,76x0,76x0,90	1	1.184,00 \$
OSC FLT038-1	800 mm Polyester Filter	16,00	21,00	25,00	D 63	40,00	0,76x0,76x0,90	1	1.276,00 \$
OSC FLT039-1	830 mm Polyester Filter	17,00	22,00	28,00	D 63	43,00	0,76x0,76x0,90	1	1.334,00 \$
OSC FLT004-1	920 mm Polyester Filter	20,00	27,00	33,00	D 63	44,50	0,92x0,92x1,00	1	1.391,00 \$

Polyester fiber reinforced sand filter on a monoblock polyester and fiberglass body.

TECHNICAL SPECIFICATIONS ARE ON PAGE 32.

CANADA MODEL WITH TOP MOUNT VALVE



Polyester Sand Filters

Code	Material Type	Filtre Hızı (m ³ / h)	Connection	Kg/Quantity	Box Size	Price
OSC FLT041	400 mm Sand Filter	6,00	D 50	15,00	0,50x0,50x0,65	454,00 \$
OSC FLT042	500 mm Polyester Filter	10,00	D 50	20,00	0,50x0,50x0,65	471,00 \$
OSC FLT043	620 mm Polyester Filter	15,00	D 50	31,00	0,65x0,65x0,77	535,00 \$
OSC FLT044	760 mm Polyester Filter	22,00	D 63	38,00	0,76x0,76x0,90	742,00 \$
OSC FLT045	800 mm Polyester Filter	25,00	D 63	40,00	0,76x0,76x0,90	765,00 \$
OSC FLT046	830 mm Sand Filter	28,00	D 63	42,00	0,92x0,92x1,00	800,00 \$
OSC FLT047	920 mm Sand Filter	33,00	D 63	44,50	0,92x0,92x1,00	914,00 \$

Polyester Sand Filter Technical Specifications

Code	A	B	C	Filtering Area m ²	Fine sand	Medium Sand	Coarse sand	Total Sand Amount
OSC FLT041	52 cm	73 cm	40 cm	0,125	25 kg	25 kg	-	50 kg
OSC FLT042	58 cm	79 cm	50 cm	0,197	50 kg	25 kg	-	75 kg
OSC FLT043	67 cm	88 cm	62 cm	0,303	100 kg	50 kg	-	150 kg
OSC FLT044	80,5 cm	110 cm	76 cm	0,454	200 kg	100 kg	-	300 kg
OSC FLT045	83,5 cm	113 cm	80 cm	0,502	225 kg	100 kg	-	325 kg
OSC FLT046	86 cm	115,5 cm	83 cm	0,540	225 kg	125 kg	-	350 kg
OSC FLT047	91,5 cm	121 cm	92 cm	0,665	300 kg	150 kg	-	450 kg



CANADA MODEL

COMMERCIAL TYPE



4 BAR TEST
BASINCI



Ø 1050 - Ø 1250



Ø 1400 - Ø 1600 - Ø 2000 - Ø 2350

Polyester Sand Filters, Commercial Type (Flange Connection)

Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Quantity/ Box	Price
		30 m³/h/m²	40 m³/h/m²	50 m³/h/m²				
OSC FLT005	1050 mm Polyester Filter	25	34	43	D 90	80,00	1	875,00 \$
OSC FLT006	1250 mm Polyester Filter	36	48	61	D 90	130,00	1	1.150,00 \$
OSC FLT007	1400 mm Polyester Filter	46	62	77	D 110	195,00	1	1.650,00 \$
OSC FLT008	1600 mm Polyester Filter	60	80	100	D 110	230,00	1	2.000,00 \$
OSC FLT009	2000 mm Polyester Filter	94	126	157	D 160	320,00	1	3.250,00 \$
OSC FLT040	2350 mm Polyester Filter	130	173	217	D 200		1	5.650,00 \$

Polyester fiber reinforced sand filter on a monoblock polyester and fiberglass body.

POLYESTER SAND FILTERS WITH STAND

COMMERCIAL TYPE (FLANGE CONNECTION.)



MUSHROOM
WATERFALL
SYSTEM WITH
STAND



4 BAR TEST
BASINCI



Polyester Sand Filters With Stand Commercial Type (Flange Connection.)

Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Quantity/ Box	Price
		30 m³/h/m²	40 m³/h/m²	50 m³/h/m²				
OSC FLT009-M	2000 mm Sand Filter	94	126	157	D 160	320,00	1	7.650,00 \$
OSC FLT040-M	2350 mm Sand Filter	130	173	217	D 200		1	12.100,00 \$

Polyester fiber reinforced sand filter on a monoblock polyester and fiberglass body.

TECHNICAL SPECIFICATIONS ARE ON PAGE 32.

OZONE-RESISTANT CANADA MODEL

DOUBLE-LAYER POLYVINYL
ESTER COATING



4 BAR TEST
BASINCI



Ø 1050 - Ø 1250



Ø 1400 - Ø 1600 - Ø 2000 - Ø 2350

Polyester Sand Filters, Commercial Type (Flange Connection.)

Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Quantity/ Box	Price
		30 m ³ /h/ m ²	40 m ³ /h/m ²	50 m ³ /h/ m ²				
OSC FLT005-1	1050 mm Polyester Filter	25	34	43	D 90	80,00	1	1.800,00 \$
OSC FLT006-1	1250 mm Polyester Filter	36	48	61	D 90	130,00	1	2.300,00 \$
OSC FLT007-1	1400 mm Polyester Filter	46	62	77	D 110	195,00	1	3.250,00 \$
OSC FLT008-1	1600 mm Polyester Filter	60	80	100	D 110	230,00	1	4.000,00 \$
OSC FLT009-1	2000 mm Polyester Filter	94	126	157	D 160	320,00	1	6.850,00 \$
OSC FLT040-1	2350 mm Polyester Filter	130	173	217	D 200		1	11.300,00 \$

Polyester fiber reinforced sand filter on a monoblock polyester and fiberglass body.

POLYESTER SAND FILTERS

COMMERCIAL TYPE (FLANGE CONNECTION.)



MUSHROOM
WATERFALL
SYSTEM WITH
STAND



4 BAR TEST
BASINCI



Polyester Sand Filters, Commercial Type (Flange Connection.)

Code	Material Type	Flow Rate (9mss)			Connection	Kg/ Quantity	Quantity/ Box	Price
		30 m ³ /h/m ²	40 m ³ /h/m ²	50 m ³ /h/m ²				
OSC FLT009-M1	2000 mm Sand Filter	94	126	157	D 160	320,00	1	Price
OSC FLT040-M1	2350 mm Sand Filter	130	173	217	D 200		1	Price

Polyester fiber reinforced sand filter on a monoblock polyester and fiberglass body.

TECHNICAL SPECIFICATIONS ARE ON PAGE 32.

DOUBLE MANOMETER SET


- Two separate glycerin-filled precision manometer
- Large manometer dial
- Double-sided air purge and on-off valves



Double Manometer Set		
Code	Material Type	Price
OSC FLT005	Double Manometer Set	290,00 \$

CANADA MODEL SAND FILTERS

Sand Filter Technical Specifications									
Code	A	B	C	D	Filtering Area m2	Fine sand	Medium Sand	Coarse sand	Total Sand Amount
OSC FLT037	40 cm	20 cm	65 cm	12 cm	0,125	25 kg	25 kg	-	50 kg
OSC FLT001	50 cm	22 cm	70 cm	12 cm	0,197	50 kg	25 kg	-	75 kg
OSC FLT002	62 cm	25 cm	79 cm	13 cm	0,303	100 kg	50 kg	-	150 kg
OSC FLT003	76 cm	26 cm	92,5 cm	17 cm	0,454	200 kg	100 kg	-	300 kg
OSC FLT038	80 cm	27 cm	95,5 cm	18 cm	0,502	225 kg	100 kg	-	325 kg
OSC FLT039	83 cm	28 cm	98 cm	18 cm	0,54	225 kg	125 kg	-	350 kg
OSC FLT004	92 cm	31,5 cm	103,5 cm	20 cm	0,665	300 kg	150 kg	-	450 kg
OSC FLT005	105 cm	45 cm	115 cm	19,5 cm	0,866	400 kg	200 kg	150 kg	750 kg
OSC FLT006	125 cm	52 cm	143 cm	-	1,227	500 kg	200 kg	200 kg	900 kg
OSC FLT007	140 cm	66 cm	160 cm	-	1,099	625 kg	625 kg	550 kg	1800 kg
OSC FLT008	160 cm	70,5 cm	185 cm	-	2	1550 kg	1000 kg	950 kg	3500 kg
OSC FLT009	200 cm	85 cm	203 cm	-	3,141	1700 kg	1300 kg	1000 kg	4000 kg
OSC FLT040	235 cm	-	-	-	4,334	3500 kg	3500 kg	1300 kg	8300 kg




SAND FILTERS



DIN NORMU SAND FILTERS



- 1.2 m Sand bed height
- Maximum operating pressure: 2 BAR, Test pressure: 4 BAR
- With air vent and manometer
- EPDM gaskets, STAINLESS steel bolts
- With sight glass
- (500-920) Top cover and manhole cover diameter DN 220
- (1050-1250) Top cover: glass fiber reinforced PP DN 395



DIN Standard Model Sand Filters

Code	Material Type	Kg/Quantity	Quantity/Box	Price
OSC ÇKTFLT620	Ø 620 mm Polyester Filter	37,00	1	730,00 \$
OSC ÇKTFLT800	Ø 800 mm Polyester Filter	65,00	1	875,00 \$
OSC ÇKTFLT920	Ø 920 mm Polyester Filter	85,00	1	1.100,00 \$
OSC ÇKTFLT1050	Ø 1050 mm Polyester Filter	-	1	1.450,00 \$
OSC ÇKTFLT1250	Ø 1250 mm Polyester Filter	-	1	2.000,00 \$

Made of GRP: Complete with multi-way valve, fittings, manometer and air purge.
Internal Structure: Without stand, with octopus fountain.

Code	Flow Rate (m ³ / saat)		D	H1	H2	H3	H4	H5	H6	H7	ANTHRACITE 0,8-1,6 mm (lt)	QUARTZ SAND 0,5-1 mm (lt)	QUARTZ SAND 0,5-1 mm (kg)	QUARTZ SAND 1-3 mm (kg)	Connection	
	30 m ³ /h/m ²	40 m ³ /h/m ²													Ø	DN
OSC ÇKTFLT620	9	12	620	196	190	60	17	32	134	126	200	200	-	150	50	40
OSC ÇKTFLT800	15	20	800	198,5	192,5	80	17	35	137	131	275	275	-	200	63	50
OSC ÇKTFLT920	20	26,5	920	213	207	98	21	55	154	124	425	400	-	375	63	50
OSC ÇKTFLT1050	26	34	1050	-	-	-	-	-	-	-	550	450	-	275	90	80
OSC ÇKTFLT1250	36	48	1050	-	-	-	-	-	-	-	725	675	-	500	90	80


DIN NORMU SAND FILTERS

TABLALI



MUSHROOM
WATERFALL SYSTEM

- 1.2 m Sand bed height
- Maximum operating pressure: 2 BAR, Test pressure: 4 BAR
- With air vent and manometer
- EPDM gaskets, STAINLESS steel bolts
- With sight glass
- (500-920) Top cover and manhole cover diameter DN 220
- (1050-1250) Top cover: glass fiber reinforced PP DN 395



DIN Standard Model Sand Filters

Code	Material Type	Kg/Quantity	Quantity/Box	Price
OSC ÇKTFLT620-M	Ø 620 mm Polyester Filter	37,00	1	1.350,00 \$
OSC ÇKTFLT800-M	Ø 800 mm Polyester Filter	65,00	1	1.750,00 \$
OSC ÇKTFLT920-M	Ø 920 mm Polyester Filter	85,00	1	2.100,00 \$
OSC ÇKTFLT1050-M	Ø 1050 mm Polyester Filter	-	1	2.800,00 \$
OSC ÇKTFLT1250-M	Ø 1250 mm Polyester Filter	-	1	3.750,00 \$

Made of GRP: Complete with multi-way valve, fittings, manometer and air purge.
Internal Structure: Without stand, with octopus fountain.


Code	Flow Rate (m ³ / saat)		D	H1	H2	H3	H4	H5	H6	H7	ANTHRACITE 0,8-1,6 mm (lt)	QUARTZ SAND 0,5-1 mm (lt)	QUARTZ SAND 0,5-1 mm (kg)	QUARTZ SAND 1-3 mm (kg)	Connection	
	30 m ³ /h/m ²	40 m ³ /h/m ²													Ø	DN
OSC ÇKTFLT620-M	9	12	620	196	190	60	17	32	134	126	200	200	-	150	50	40
OSC ÇKTFLT800-M	15	20	800	198,5	192,5	80	17	35	137	131	275	275	-	200	63	50
OSC ÇKTFLT920-M	20	26,5	920	213	207	98	21	55	154	124	425	400	-	375	63	50
OSC ÇKTFLT1050-M	26	34	1050	-	-	-	-	-	-	-	550	450	-	275	90	80
OSC ÇKTFLT1250-M	36	48	1050	-	-	-	-	-	-	-	725	675	-	500	90	80

DIN NORMU SAND FILTERS

OZONE-RESISTANT CANADA
MODEL WITH DOUBLE-
LAYER POLYVINYL
ESTER COATING



- 1.2 m Sand bed height
- Maximum operating pressure: 2 BAR, Test pressure: 4 BAR
- With air vent and manometer
- EPDM gaskets, STAINLESS steel bolts
- With sight glass
- (500-920) Top cover and manhole cover diameter DN 220
- (1050-1250) Top cover: glass fiber reinforced PP DN 395



DIN Standard Model Sand Filters

Code	Material Type	Kg/Quantity	Quantity/Box	Price
OSC ÇKTFLT620-1	Ø 620 mm Polyester Filter	37,00	1	1.600,00 \$
OSC ÇKTFLT800-1	Ø 800 mm Polyester Filter	65,00	1	1.710,00 \$
OSC ÇKTFLT920-1	Ø 920 mm Polyester Filter	85,00	1	2.150,00 \$
OSC ÇKTFLT1050-1	Ø 1050 mm Polyester Filter	-	1	2.850,00 \$
OSC ÇKTFLT1250-1	Ø 1250 mm Polyester Filter	-	1	3.850,00 \$

Made of GRP: Complete with multi-way valve, fittings, manometer and air purge.
Internal Structure: Without stand, with octopus fountain.

Code	Debi (m ³ / saat)		D	H1	H2	H3	H4	H5	H6	H7	ANTHRACITE 0,8 - 1,6 mm (lt)	QUARTZ SAND 0,5 - 1 mm (lt)	QUARTZ SAND 0,5 - 1 mm (kg)	QUARTZ SAND 1 - 3 mm (kg)	Connection	
	30 m ³ /h/ m ²	40 m ³ /h/ m ²													Ø	DN
OSC ÇKTFLT620-1	9	12	620	196	190	60	17	32	134	126	200	200	-	150	50	40
OSC ÇKTFLT800-1	15	20	800	198,5	192,5	80	17	35	137	131	275	275	-	200	63	50
OSC ÇKTFLT920-1	20	26,5	920	213	207	98	21	55	154	124	425	400	-	375	63	50
OSC ÇKTFLT1050-1	26	34	1050	-	-	-	-	-	-	-	550	450	-	275	90	80
OSC ÇKTFLT1250-1	36	48	1050	-	-	-	-	-	-	-	725	675	-	500	90	80


DIN NORMU SAND Filters

TABLALI OZONE-RESIS-
TANT CANADA MODEL WITH
DOUBLE-LAYER
POLYVINYL ESTER COATING



MUSHROOM WATERFALL
SYSTEM WITH STAND

- 1.2 m Sand bed height
- Maximum operating pressure:
2 BAR, Test pressure: 4 BAR
- With air vent and manometer
- EPDM gaskets, STAINLESS steel bolts
- With sight glass
- (500-920) Top cover and manhole cover diameter DN 220
- (1050-1250) Top cover: glass fiber reinforced PP DN 395



DIN Standard Model Sand Filters

Code	Material Type	Kg/Quantity	Quantity/Box	Price
OSC ÇKTFLT620-M1	Ø 620 mm Polyester Filter	37,00	1	2.200,00 \$
OSC ÇKTFLT800-M1	Ø 800 mm Polyester Filter	65,00	1	2.250,00 \$
OSC ÇKTFLT920-M1	Ø 920 mm Polyester Filter	85,00	1	2.850,00 \$
OSC ÇKTFLT1050-M1	Ø 1050 mm Polyester Filter	-	1	3.950,00 \$
OSC ÇKTFLT1250-M1	Ø 1250 mm Polyester Filter	-	1	5.000,00 \$

Made of GRP: Complete with multi-way valve, fittings, manometer and air purge.
Internal Structure: Without stand, with octopus fountain. Two-year warranty.

Code	Debi (m ³ / saat)		D	H1	H2	H3	H4	H5	H6	H7	ANTHRACITE 0,8 - 1,6 mm (lt)	QUARTZ SAND 0,5 - 1 mm (lt)	QUARTZ SAND 0,5 - 1 mm (kg)	QUARTZ SAND 1 - 3 mm (kg)	Connection	
	30 m ³ /h/ m ²	40 m ³ /h/ m ²													Ø	DN
OSC ÇKTF- LT620-M1	9	12	620	196	190	60	17	32	134	126	200	200	-	150	50	40
OSC ÇKTF- LT800-M1	15	20	800	198,5	192,5	80	17	35	137	131	275	275	-	200	63	50
OSC ÇKTF- LT920-M1	20	26,5	920	213	207	98	21	55	154	124	425	400	-	375	63	50
OSC ÇKTF- LT1050-M1	26	34	1050	-	-	-	-	-	-	-	550	450	-	275	90	80
OSC ÇKTF- LT1250-M1	36	48	1050	-	-	-	-	-	-	-	725	675	-	500	90	80

ABS MULTI-WAY VALVES



Abs Multi-Way Valves

Code	Material Type	Kg/Quantity	Box Size	Quantity/Box	Price
OSC FLT022	50 - 1 1/2" Multi-Way Valve	1,60	0,20x0,20x0,24	1	80,00 \$
OSC FLT023	63 - 2" Multi-Way Valve	3,00	0,25x0,25x0,30	1	85,00 \$
OSC FLT024	63 - 2" Multi-Way Valve - Threaded	3,00	0,25x0,25x0,30	1	90,00 \$
OSC FLT025	75-2 1/2" Multi-Way Valve - Threaded - Adhesive bonded	7,00	0,34x0,30x0,44	1	550,00 \$
OSC FLT026	90 - 3" Multi-Way Valve - Threaded - Adhesive bonded	8,00	0,40x0,30x0,44	1	1.100,00 \$
OSC FLT027	110 - 4" Multi-Way Valve - Threaded	18,00	-	1	4.650,00 \$
OSC FLT069	50 - 1 1/2" TOP-MOUNT Multi-Way Valve	-	-	1	90,00 \$
OSC FLT070	63 - 2" TOP-MOUNT Multi-Way Valve	-	-	1	LFS


Quartz Filter Sand

Code	Material Type	Kg/Quantity	Box Size	Price
OSC FLT028	Quartz Sand 0,7 1.5 mm (Fine)	25	0,48x0,39x0,10	0,39 \$
OSC FLT029	Quartz Sand 1,5 3,0 mm (Medium)	25	0,48x0,39x0,10	0,39 \$
OSC FLT030	Quartz Sand 3,0 5,0 mm (Coarse)	25	0,48x0,39x0,10	0,39 \$



Glass Media

Code	Material Type	Kg/Quantity	Box Size	Price
OSC CMFLT01	Glass Sand 0,7 - 1,2 mm	25	0,48x0,39x0,10	0,80 \$
OSC CMFLT02	Glass Sand 1,2 - 3,0 mm	25	0,48x0,39x0,10	0,80 \$
OSC CMFLT03	Glass Sand 3,0 - 5,0 mm	25	0,48x0,39x0,10	0,80 \$



Spare Part

Code	Material Type	Box Size	Price
OSC FLT031	Manometre 3 bar	1	14,00 \$
OSC FLT032	Manometre 6 bar	1	19,00 \$
OSC FLT033	Air Purge	1	6,00 \$
OSC FLT034	Filter Cover (500-920)	1	22,00 \$
OSC FLT035	Filtre Cover0-Ringi	1	9,00 \$
OSC FLT036	Plastic Manometer Purge Kit	1	11,00 \$
OSC FLT038	Filter Cover (1050 - 2350)	1	193,00 \$



1.5" SIX-WAY VALVE 2" SIX-WAY VALVE

- Easy usage with position-printed directional texts in Turkish, English, and German
- Quiet operation with optimum flow rate and pressure loss
- Impact and UV-resistant ABS material
- Can be used for swimming pools, natural pools, aquariums, and water play pools up to +40°C





Q S C A R
P O O L



**IN-POOL AND EDGE
EQUIPMENT**

34-57

STANDARD SERIES LADDER (AISI 304)

Standard Stainless Steel Non-Slip Step Ladder				
Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE001	2-Step Standard Ladder	0,66x1,38x0,06	10,00	160,00 \$
OSC HKE002	3-Step Standard Ladder	0,66x1,63x0,06	11,50	170,00 \$
OSC HKE003	4-Step Standard Ladder	0,66x1,88x0,06	13,50	190,00 \$
OSC HKE004	5-Step Standard Ladder	0,66x2,10x0,06	15,00	230,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Standard Stainless Steel Ladder				
Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE001-S	2-Step Standard Ladder	0,66x1,38x0,06	10,00	150,00 \$
OSC HKE002-S	3 Step Standard Ladder	0,66x1,63x0,06	11,50	160,00 \$
OSC HKE003-S	4 Step Standard Ladder	0,66x1,88x0,06	13,50	180,00 \$
OSC HKE004-S	5 Step Standard Ladder	0,66x2,10x0,06	15,00	220,00 \$


With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Standard Paslanmaz Steel Plastik Stepil Merdiven				
Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE001-P	2-Step Standard Ladder	0,66x1,38x0,06	10,00	140,00 \$
OSC HKE002-P	3 Step Standard Ladder	0,66x1,63x0,06	11,50	150,00 \$
OSC HKE003-P	4 Step Standard Ladder	0,66x1,88x0,06	13,50	170,00 \$
OSC HKE004-P	5 Step Standard Ladder	0,66x2,10x0,06	15,00	220,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.



Technical Specifications						
Step	A	B	C	D	E	F
2	600	320	250	680	170	500
3	600	320	250	930	170	500
4	600	320	250	1180	170	500
5	600	320	250	1430	170	500



MURO SERIES LADDER (AISI 304)

Muro Stainless Steel Ladder				
Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE005	2 Step Muro Ladder	0,41x1,38x0,06	9,50	160,00 \$
OSC HKE006	3 Step Muro Ladder	0,41x1,60x0,06	10,50	170,00 \$
OSC HKE007	4 Step Muro Ladder	0,41x1,88x0,06	12,50	190,00 \$
OSC HKE008	5 Step Muro Ladder	0,41x2,13x0,06	14,00	230,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Muro Stainless Steel Ladder				
Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE005-S	2 Step Muro Ladder	0,41x1,38x0,06	9,50	150,00 \$
OSC HKE006-S	3 Step Muro Ladder	0,41x1,60x0,06	10,50	160,00 \$
OSC HKE007-S	4 Step Muro Ladder	0,41x1,88x0,06	12,50	180,00 \$
OSC HKE008-S	5 Step Muro Ladder	0,41x2,13x0,06	14,00	220,00 \$


With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Muro Stainless Steel Plastic Step Ladder				
Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE005-P	2 Step Muro Ladder	0,41x1,38x0,06	9,50	140,00 \$
OSC HKE006-P	3 Step Muro Ladder	0,41x1,60x0,06	10,50	150,00 \$
OSC HKE007-P	4 Step Muro Ladder	0,41x1,88x0,06	12,50	170,00 \$
OSC HKE008-P	5 Step Muro Ladder	0,41x2,13x0,06	14,00	220,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.



Technical Specifications							
Step	A	B	C	D	E	F	G
2	350	620	250	710	170	500	200
3	350	620	250	960	170	500	200
4	350	620	250	1120	170	500	200
5	350	620	250	1460	170	500	200



MIXTA SERIES LADDER (AISI 304)

Mixta Stainless Steel Non-Slip Step Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE009	2 Step Mixta Ladder	0,66x1,38x0,06	10,00	165,00 \$
OSC HKE010	3 Step Mixta Ladder	0,66x1,63x0,06	11,50	180,00 \$
OSC HKE011	4 Step Mixta Ladder	0,66x1,88x0,06	13,50	200,00 \$
OSC HKE012	5 Step Mixta Ladder	0,66x2,10x0,06	15,00	250,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Mixta Stainless Steel Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE009-S	2 Step Mixta Ladder	0,66x1,38x0,06	10,00	155,00 \$
OSC HKE010-S	3 Step Mixta Ladder	0,66x1,63x0,06	11,50	170,00 \$
OSC HKE011-S	4 Step Mixta Ladder	0,66x1,88x0,06	13,50	190,00 \$
OSC HKE012-S	5 Step Mixta Ladder	0,66x2,10x0,06	15,00	240,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Mixta Stainless Steel Plastic Step Ladder


Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE009-P	2 Step Mixta Ladder	0,66x1,38x0,06	10,00	145,00 \$
OSC HKE010-P	3 Step Mixta Ladder	0,66x1,63x0,06	11,50	160,00 \$
OSC HKE011-P	4 Step Mixta Ladder	0,66x1,88x0,06	13,50	180,00 \$
OSC HKE012-P	5 Step Mixta Ladder	0,66x2,10x0,06	15,00	220,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.



Technical Specifications

Step	A	B	C	D	E	F	G
2	600	620	250	680	170	500	280
3	600	620	250	930	170	500	280
4	600	620	250	1180	170	500	280
5	600	620	250	1430	170	500	280




OPEN TYPE FLANGED LADDER (AISI 304)

Open Type Flanged Stainless Steel Non-Slip Step Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE013	2 Step Ladder Open Type	1,13x1,53x0,06	12,50	250,00 \$
OSC HKE014	3 Step Ladder Open Type	-	13,00	270,00 \$
OSC HKE015	4 Step Ladder Open Type	1,13x2,03x0,06	15,00	310,00 \$
OSC HKE016	5 Step Ladder Open Type	-	17,50	330,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.



Open Type Flanged Stainless Steel Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE013-S	2 Step Ladder Open Type	1,13x1,53x0,06	12,50	240,00 \$
OSC HKE014-S	3 Step Ladder Open Type	-	13,00	260,00 \$
OSC HKE015-S	4 Step Ladder Open Type	1,13x2,03x0,06	15,00	300,00 \$
OSC HKE016-S	5 Step Ladder Open Type	-	17,50	320,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.


Open Type Flanş Connectionlı Paslanmaz Steel Plastik Step'li Merdiven

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE013-P	2 Step Ladder Open Type	1,13x1,53x0,06	12,50	230,00 \$
OSC HKE014-P	3 Step Ladder Open Type	-	13,00	250,00 \$
OSC HKE015-P	4 Step Ladder Open Type	1,13x2,03x0,06	15,00	290,00 \$
OSC HKE016-P	5 Step Ladder Open Type	-	17,50	310,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Technical Specifications

Step	A	B	C	D	E	F	G
2	1390	680	250	710	842	180	500
3	1640	680	250	960	842	180	500
4	1890	680	250	1210	842	180	500
5	2140	680	250	1460	842	180	500




Standard SERİ MERDİVEN (AISI 316)

Standard Stainless Steel Non-Slip Step Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE017	2-Step Standard Ladder	0,66x1,38x0,06	10,00	330,00 \$
OSC HKE018	3 Step Standard Ladder	0,66x1,63x0,06	11,50	385,00 \$
OSC HKE019	4 Step Standard Ladder	0,66x1,88x0,06	13,50	435,00 \$
OSC HKE020	5 Step Standard Ladder	0,66x2,10x0,06	15,00	490,00 \$

Paslanmaz Steel Ø43 mm borudan mamül paslanmaz Steel kaymaz Stepli; genişlik 51 cm rozetleri ve montaj parçaları ile birlikte.



Standard Stainless Steel Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE017-S	2-Step Standard Ladder	0,66x1,38x0,06	10,00	320,00 \$
OSC HKE018-S	3 Step Standard Ladder	0,66x1,63x0,06	11,50	375,00 \$
OSC HKE019-S	4 Step Standard Ladder	0,66x1,88x0,06	13,50	425,00 \$
OSC HKE020-S	5 Step Standard Ladder	0,66x2,10x0,06	15,00	475,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.


Standard Stainless Steel Plastic Step Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE017-P	2-Step Standard Ladder	0,66x1,38x0,06	10,00	310,00 \$
OSC HKE018-P	3 Step Standard Ladder	0,66x1,63x0,06	11,50	354,00 \$
OSC HKE019-P	4 Step Standard Ladder	0,66x1,88x0,06	13,50	415,00 \$
OSC HKE020-P	5 Step Standard Ladder	0,66x2,10x0,06	15,00	465,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Technical Specifications

Step	A	B	C	D	E	F
2	600	320	250	680	170	500
3	600	320	250	930	170	500
4	600	320	250	1180	170	500
5	600	320	250	1430	170	500



MURO SERIES LADDER (AISI 304)

Muro Stainless Steel Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE021	2 Step Muro Ladder	0,41x1,38x0,06	9,50	330,00 \$
OSC HKE022	3 Step Muro Ladder	0,41x1,60x0,06	10,50	385,00 \$
OSC HKE023	4 Step Muro Ladder	0,41x1,88x0,06	12,50	435,00 \$
OSC HKE024	5 Step Muro Ladder	0,41x2,13x0,06	14,00	490,00 \$

Paslanmaz Steel Ø43 mm borudan mamül paslanmaz Steel kaymaz Stepli;
genişlik 51 cm rozetleri ve montaj parçaları ile birlikte.

Muro Stainless Steel Ladder

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE021-S	2 Step Muro Ladder	0,41x1,38x0,06	9,50	320,00 \$
OSC HKE022-S	3 Step Muro Ladder	0,41x1,60x0,06	10,50	375,00 \$
OSC HKE023-S	4 Step Muro Ladder	0,41x1,88x0,06	12,50	425,00 \$
OSC HKE024-S	5 Step Muro Ladder	0,41x2,13x0,06	14,00	475,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.

Muro Stainless Steel Plastic Step Ladder


Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HKE021-P	2 Step Muro Ladder	0,41x1,38x0,06	9,50	310,00 \$
OSC HKE022-P	3 Step Muro Ladder	0,41x1,60x0,06	10,50	354,00 \$
OSC HKE023-P	4 Step Muro Ladder	0,41x1,88x0,06	12,50	415,00 \$
OSC HKE024-P	5 Step Muro Ladder	0,41x2,13x0,06	14,00	465,00 \$

With stainless steel non-slip step made of stainless steel Ø43 mm pipe ; width is 51 cm, complete with rosettes and mounting parts.



Technical Specifications

Step	A	B	C	D	E	F	G
2	350	620	250	710	170	500	200
3	350	620	250	960	170	500	200
4	350	620	250	1120	170	500	200
5	350	620	250	1460	170	500	200



Ladder Spare Parts (AISI 316)

Code	Material Type	Kg/ Quantity	Price
OSC HKE025	Ladder Step - Stainless Steel	-	40,00 \$
OSC HKE026	Ladder Step - Plastic	-	19,00 \$
OSC HKE027	Ladder Rubber Chock	-	6,00 \$
OSC HKE028	Ladder Anchor	-	11,00 \$
OSC HKE029	Ladder Rosette (Plate 105 mm)	-	11,00 \$



Stainless Steel Pool Handle

Code	Material Type	Kg/ Quantity	Price
OSC HKE036	0,5 Mt Pool Handle	1,20	175,00 \$
OSC HKE037	1,0 Mt Pool Handle	1,70	220,00 \$
OSC HKE038	1,5 Mt Pool Handle	2,30	270,00 \$
OSC HKE039	2,0 Mt Pool Handle	2,80	300,00 \$
OSC HKE040	2,5 Mt Pool Handle	3,30	350,00 \$



It is made of AISI 304 Quality Ø42 mm x 1.5 mm stainless steel pipe.

Technical Specifications


Step	A	B	C
OSC HKE036	50 cm	12 cm	43 cm
OSC HKE037	100 cm	12 cm	43 cm
OSC HKE038	150 cm	12 cm	43 cm
OSC HKE039	200 cm	12 cm	43 cm
OSC HKE040	250 cm	12 cm	43 cm



Handles


Code	Material Type	Kg/ Quantity	Price
OSC HKE041	Large type ladder handle	9,20	650,00 \$
OSC HKE042	Small type ladder handle	8,20	575,00 \$

It is made of AISI 304 Quality Ø42 mm x 1.5 mm stainless steel pipe.



Technical Specifications



Step	A	B	L	Ø
OSC HKE041	800 mm	855 mm	1525 mm	43 mm
OSC HKE042	800 mm	680 mm	1220 mm	43 mm






QSCAR
POOL

Pool overflow gratings are 'I' type and made of UV-reinforced PP. Single link and double link overflow gratings comply with 'TS EN 13451-1' standards. Gratings are resistant to a pressure of 138 kg and have a tensile strength of 16.8.





P.P. Single Link Overflow Grate (8 mm spacing)

Code	Material Type	Model	mm			Box Size	Kg/Box	Price / mt
			L	L ₁	H			
OSC HKE043	15 cm Single Link	T	145	8	25	0,25x0,31x0,51	11,00	7,00 \$
OSC HKE044	20 cm Single Link	I-T	195	8	25	0,25x0,41x0,41	13,00	8,00 \$
OSC HKE044-1	20 cm Single Link	I	192	8	25	0,25x0,51x0,51	13,00	8,00 \$
OSC HKE045	20 cm Single Link	I	245	8	25	0,25x0,51x0,51	17,00	9,00 \$



P.P. Double Link Overflow Grate (8 mm spacing)

Code	Material Type	Model	mm			Box Size	Kg/Box	Price / mt
			L	L ₁	H			
OSC HKE046	20 cm Double Link	T	-	-	-	0,25x0,41x0,41	17,00	10,00 \$
OSC HKE047	20 cm Double Link	I	195	8	25	0,25x0,41x0,41	17,00	9,00 \$
OSC HKE047-1	20 cm Double Link	I	192	8	25	0,25x0,41x0,41	15,00	9,00 \$
OSC HKE048	25 cm Double Link	I	245	8	25	0,25x0,51x0,51	20,00	10,00 \$
OSC HKE049	30 cm Double Link	I	192	8	25	0,25x0,51x0,51	11,00	18,00 \$



P.P. Single/ Double Link Overflow Grate (10 mm spacing)

Code	Material Type	Model	mm			Box Size	Kg/Box	Price / mt
			L	L ₁	H			
OSC HKE044-10	20 cm Single Link	I-T	145	10	25	0,25x0,31x0,51	11,00	7,00 \$
OSC HKE045-10	20 cm Single Link	I-T	195	10	25	0,25x0,41x0,41	13,00	8,00 \$
OSC HKE046-10	20 cm Double Link	I-T	192	10	25	0,25x0,51x0,51	17,00	9,00 \$

P.P. Single Link Overflow Grate (8 mm spacing)

Code	Material Type	Model	Box Size	Kg/Box	Price /mt
OSC HKE050	19,5 cm Double Link	Wavy	0,25x0,41x0,41	17,00	14,00 \$
OSC HKE051	25,5 cm Double Link	Wavy	0,25x0,41x0,51	23,00	16,00 \$

Double link overflow grate made of plastic for pool overflow.

P.P. Modular Overflow Grate

Code	Material Type	Model	Box Size	Kg/Box	Price /mt
OSC HKE052	19,5 cm Single Link	With Claw	0,25x0,41x0,41	16,30	11,00 \$
OSC HKE053	25,5 cm Single Link	With Claw	0,25x0,51x0,51	22,00	13,00 \$

Overflow grate with claw made of plastic for pool overflow.

P.P. Modular Overflow Grate

Code	Material Type	Model	Box Size	Kg/Box	Price /mt
OSC HKE150	19,5 cm Modular	With Claw	0,25x0,41x0,41	16,30	17,00 \$
OSC HKE151	25,5 cm Modular	With Claw	0,25x0,51x0,51	22,00	20,00 \$

Overflow grate with claw made of plastic for pool overflow.


P.P. Modular Overflow Grate

Code	Material Type	Model	Box Size	Kg/Box	Price /mt
OSC HKE152	19,5 cm Standard	Düz	0,25x0,41x0,41	16,30	15,00 \$
OSC HKE153	25,5 cm Standard	Düz	0,25x0,51x0,51	22,00	18,00 \$

Standard overflow grate made of plastic for pool overflow.

Grate Edge Profile

Code	Material Type	Box Size	Kg/Box	Price /mt
OSC HKE054	24x26 Grate Edge Profile - Length 2 meters	100 mt	25,00	1,50 \$




P.P. 45° - 90° Corner Piece

Code	Material Type	h	Quantity/Box	Price /mt
OSC HKE073	15 cm. 45° Corner Piece	145	0,10	7,00 \$
OSC HKE074	15 cm. 90° Corner Piece	145	0,15	7,00 \$
OSC HKE075	20 cm. 45° Corner Piece	195	0,20	8,00 \$
OSC HKE076	20 cm. 90° Corner Piece	195	0,25	8,00 \$
OSC HKE077	25 cm. 45° Corner Piece	245	0,45	9,00 \$
OSC HKE078	25 cm. 90° Corner Piece	245	0,50	9,00 \$
OSC HKE079	30 cm. 45° Corner Piece	300	0,60	30,00 \$
OSC HKE080	30 cm. 90° Corner Piece	300	0,65	18,00 \$



BLOK MODEL OVERFLOW GRATE



P.P. BLOK MODEL OVERFLOW GRATE




The block type overflow grate is made of UV-reinforced PP. It complies with EN 13451-1 standards. It is resistant to 138 kg pressure and has a tensile strength of 16.8 mm.

- 10 meters in a box
- Easy installation
- Time and labor cost saving
- Aesthetic design




P.P. Blok Model Overflow Grate								
Code	Material Type	Model	mm			Box Size	Kg/Box	Price
			L	L ₁	H			
OSC BLK020-M	20 cm Block Grate	I	500	10	25	0,52x0,42x0,27	11,40	8,00 \$
OSC BLK021-M	20 cm Blok Corner Piece	I	500	10	25	-	-	8,00 \$




HYDRO MASSAGE AND THERAPY NOZZLES



Concrete Type
hydro massage nozzle



Prefabricated Type
hydro massage nozzle




HYDRO MASSAGE AND THERAPY NOZZLES

ADVANTAGES


- Suitable for use in reinforced concrete pools.
- Resistant to chemicals.
- It has engineering design and material properties to prevent operational issues.
- Can be used in pools individually or in groups (counter current).
- Easy to install and requires no maintenance.
- 9-hole design providing high-quality massage.
- Made of plastic and long-lasting.

Areas of Usage	Massage Pools	Vitality Havuzları	Jacuzzi		
Areas of Usage	Back Massage	Calf Massage	Wall Massage System	Floor Massage System	Counter Current System

Wall Massage System Example



Floor Massage System Example



Hydro Massage Nozzles		
Code	Material Type	Price
OSC HDM01	Hydro Massage Nozzle (Concrete Type)	60,00 \$
OSC HDM02	Hydro Massage Nozzle (Prefabricated Type)	70,00 \$



CHECK VALVE WITH TRANSPARENT SIGHT GLASS



Check Valve With Transparent Sight Glass

Code	Material Type	Price
OSC HKE141	50 Check Valve with Transparent Sight Glass	17,00 \$
OSC HKE142	63 Check Valve with Transparent Sight Glass	17,00 \$

RUST PROTECTION GROUNDING DEVICE

Used in pools using salt-chlorine generators to prevent electronic corrosion of stainless steel materials inside the pool and for the plumbing.

The electrical connection is made to the pump control panel ground line.

- ø63 Body
- Easy Installation
- Transparent Cover for Anode Control
- Pure Zinc
- Average Life Expectancy is 3 Years
- Provides "Electric Shock" Protection in Fiberglass Pools



Rust Protection Grounding Device

Code	Material Type	Price
OSC HKE145	50 Rust Protection Grounding Sight Glass Check Valve	55,00 \$
OSC HKE146	63 Rust Protection Grounding Sight Glass Check Valve	55,00 \$


Square Bottom Suction Grate (ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE081	200x200 Square Bottom Grate	0,50	10,00 \$
OSC HKE082	250x250 Square Bottom Grate	0,86	13,00 \$
OSC HKE154	300x300 Square Bottom Grate	1,20	15,00 \$
OSC HKE083	410x410 Square Bottom Grate	1,60	60,00 \$



Square Bottom Suction Grate

Code	Material Type	Kg/Quantity	Price
OSC HKE086	250x250 Square Bottom Grate	1,80	220,00 \$
OSC HKE087	300x300 Square Bottom Grate	2,30	281,00 \$
OSC HKE088	400x400 Square Bottom Grate	3,40	303,00 \$
OSC HKE089	450x450 Square Bottom Grate	4,60	363,00 \$
OSC HKE090	500x500 Square Bottom Grate	5,30	440,00 \$
OSC HKE091	600x600 Square Bottom Grate	6,80	495,00 \$
OSC HKE092	700x700 Square Bottom Grate	7,40	550,00 \$



Optionally, it can also be made of AISI 316 material. There is a 20% price difference.

Round Bottom Suction Filter (ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE093	Round Bottom Filter Ø50-63	0,85	22,00 \$
OSC HKE094	Round Bottom Filter (Liner) Ø50-63	1,00	28,00 \$



Round Bottom Filter (Liner)

Code	Material Type	Kg/Quantity	Price
OSC HKE095	Ø63 Square Bottom Filter	1,40	75,00 \$
OSC HKE096	Ø75 Square Bottom Filter	1,25	85,00 \$
OSC HKE097	Ø90 Square Bottom Filter	1,35	100,00 \$



Side Feed Nozzle (ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE098	Side Feed Nozzle - Ø63	0,10	2,50 \$
OSC HKE099	Side Feed Nozzle (Liner) - Ø63	0,19	15,00 \$
OSC HKE100	Side Feed Nozzle - Ø50	0,15	2,50 \$
OSC HKE155	Side Feed Nozzle Threaded - Ø63	0,15	6,50 \$



Bottom Feed Nozzle (Adjustable Flow Rate - ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE101	Bottom Feed Nozzle Adjustable Flow Rate - Ø63	0,15	3,00 \$
OSC HKE102	Bottom Feed Nozzle Adjustable Flow Rate (Liner) - Ø63	0,20	15,00 \$
OSC HKE103	Bottom Feed Nozzle Adjustable Flow Rate - Ø50	0,15	3,00 \$
OSC HKE156	Taban Besleme Nozulu Threaded - Ø63	0,15	9,50 \$



Vacuum Nozzle (ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE104	Vacuum Nozzle - Ø63	0,10	2,50 \$
OSC HKE105	Vacuum Nozzle (Liner) - Ø63	0,19	15,00 \$
OSC HKE106	Vacuum Nozzle - Ø50	0,15	2,50 \$
OSC HKE157	Vacuum Nozzle Threaded - Ø63	0,15	6,50 \$



Bottom Feed Nozzle (ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE107	Bottom Feed Nozzle	0,10	2,50 \$



Concrete Wall Conduit (ABS)

Code	Material Type	Kg/Quantity	Price
OSC HKE108	Concrete Wall Conduit - Threaded	0,40	15,00 \$
OSC HKE109	Concrete Wall Conduit - Glued	0,40	15,00 \$



Made of ABS, the pipe connection side should be bonded Ø63 mm externally and Ø50 internally. There are screw sockets and holes on L = 30 cm front to be mounted on the pool curtain wall mold.

Slim Mouth Skimmer

Code	Material Type	Box Size	Kg/Quantity	Price
OSC HKE160	Slim Mouth Skimmer	-	-	90,00 \$
OSC HKE161	Slim Mouth Skimmer Liner	-	-	120,00 \$



Square Frame Skimmer


Code	Material Type	Box Size	Kg/Quantity	Price
OSC HKE111	Square Frame Skimmer - 2"	0,42x0,40x0,27	3,50	38,00 \$
OSC HKE112	Square Frame Skimmer (Liner)	0,42x0,40x0,27	3,85	70,00 \$



Bottom suction connections made of ABS with 2" basket and floating cover.

Square Frame Wide Mouth Skimmer

Code	Material Type	Box Size	Kg/Quantity	Price
OSC HKE113	Square Frame Wide Mouth Skimmer Liner	0,41x0,60x0,46	4,80	70,00 \$
OSC HKE114	Wide Skimmer with Square Cover (Liner)	0,41x0,60x0,46	5,50	110,00 \$



Bottom suction connections made of ABS with 2" basket and floating cover.

Overflow Strainers



Code	Material Type	Kg/Quantity	Price
OSC HKE115	Stainless Steel Strainer - 63	-	28,00 \$
OSC HKE116	Stainless Steel Strainer - 75	-	33,00 \$
OSC HKE117	Stainless Steel Strainer - 90	-	36,00 \$
OSC HKE118	Stainless Steel Strainer - 110	-	44,00 \$
OSC HKE119	Plastic Strainer Up to 110 mm Pipe	-	11,00 \$



Right Curved Slide

Code	Material Type	Length (mt)	Kg/Quantity	Price
OSC HKE121	Right Curved Slide	3,55 mt	83,00	2.000,00 \$


Polyester and fiberglass reinforced "light blue colored slide" with polyester steps, stainless steel handles, support base equipment made of stainless steel.



Straight Trampoline

Code	Material Type	Length (mt)	Kg/Quantity	Price
OSC HKE122	Straight Trampoline / Width 0.39	2,00 mt	29,00	2.000,00 \$
OSC HKE123	Straight Trampoline / Width 0.39	4,00 mt	50,00	1.650,00 \$

Made of polyester and fiberglass, with an light blue colored polyester base.



S Trampoline

Code	Material Type	Length (mt)	Kg/Quantity	Price
OSC HKE139	S Trampoline / Width 0.39	1,60 mt	23,00	660,00 \$

S trampoline made of polyester and fiberglass.

S Trampoline

Code	Material Type	Kg/Quantity	Price
OSC HKE124	2000 mm Diameter Mushroom Waterfall 150 m ³ /h - 6"	-	3.300,00 \$
OSC HKE125	1600 mm Diameter Mushroom Waterfall 80 m ³ /h - 4"	-	2.750,00 \$
OSC HKE126	1000 mm Diameter Mushroom Waterfall 40 m ³ /h - 2 1/2"	-	2.530,00 \$

Made of polyester and fiberglass. Mushroom's leg is Note included in the price.





Foot Disinfection Pool				
Code	Material Type	Length	Kg/Quantity	Price
OSC HKE127	Foot Disinfection Pool	50x35x10 cm	1,50	55,00 \$
OSC HKE128	Foot Disinfection Pool	70x45x10 cm	2,90	88,00 \$
OSC HKE129	Foot Disinfection Pool	80x50x12 cm	3,70	110,00 \$
OSC HKE130	Foot Disinfection Pool	120x70x12 cm	5,00	165,00 \$



Plastic Engine Room				
Code	Material Type	Product Dimensions	Kg/Quantity	Price
OSC HKE158	Plastic Engine Room (Ø 500 - 620)	120x103x92 cm	53,00	550,00 \$






Polyester Engine Room				
Code	Material Type	Product Dimensions	Kg/Quantity	Price
OSC HKE131	Polyester Engine Room (Ø 420 - 500 - 620)	120x105x91 cm	39,00	850,00 \$
OSC HKE132	Polyester Engine Room (Ø 760 - 920)	150x140x109 cm	-	1.500,00 \$



Polyester Engine Room and Balance Tank Covers				
Code	Material Type	Box Size	Kg/Quantity	Price
OSC HKE135	Polyester 60x60 Cover (Beige)	0,92x0,92x0,10	9,75	350,00 \$
OSC HKE136	Polyester 75x75 Cover (Beige)	106x106x0,10	11,55	450,00 \$
OSC HKE137	Polyester 90x90 Cover (Beige)	117x117x0,10	21,50	500,00 \$
OSC HKE138	Polyester 100x100 Cover (Beige)	127x127x0,10	26,50	550,00 \$



Technical Specifications					
Covers	A	B	C	D	E
60x60 cm	5 cm	4 cm	89,5 cm	65 cm	72,5 cm
75x75 cm	5 cm	4 cm	104 cm	80 cm	87,5 cm
90x90 cm	5 cm	4 cm	114,5 cm	91 cm	97,5 cm
100x100 cm	5 cm	4 cm	124,5 cm	100 cm	107,5 cm



Polyester Ladder				
Code	Material Type	Box Size	Kg/Quantity	Price
OSC HKE157	Polyester Ladder	184 x 112 x 107	9,20	750,00 \$



Ladder made of polyester for liner pools.
Steps are non-slip and wood-reinforced.

CAPISSI SUNBED



Capissi Sunbed			
Code	Material Type	Size (cm) / Each	Price
OSC SZL158	Capissi Sunbed	43 x 187 x 63	110,00 \$

ATLANTIK SUNBED



Atlantik Sunbed			
Code	Material Type	Size (cm) / Each	Price
OSC SZL159	Atlantik Sunbed	35 x 194 x 70	220,00 \$



Q S C A R
P O O L




Q S C A R
P O O L



**POOL CLEANING
EQUIPMENT
58-63**

1 1/2" - 2" FLAT MODEL BROOM PART DISTRIBUTION

Flat Model Vacuum Spare Parts			
Code	Material Type	No	Price
OSC HTE001	Broom Fork 1 1/2"	1	8,00 \$
OSC HTE002	Broom Fork 2"	1	11,00 \$
OSC HTE003	Broom Fork Butterfly Screw Stainless Steel	2	7,00 \$
OSC HTE004	Broom Fork Clip	3	5,00 \$
OSC HTE005	Broom Fork Connection Part	4	4,00 \$
OSC HTE006	Broom Connection Pin	5	1,10 \$
OSC HTE007	Broom Wheel	6	1,65 \$
OSC HTE008	Broom Wheel Pin	7	1,10 \$
OSC HTE009	Broom Side Body (Wheel)	8	9,00 \$
OSC HTE010	Broom Brush 1 1/2"	9	11,00 \$
OSC HTE011	Broom Brush 2"	9	14,00 \$
OSC HTE012	Broom Brush Spring	10	1,10 \$
OSC HTE013	Broom Rubber (1 mt)	11	5,00 \$
OSC HTE014	Broom Connection Adapter 1 1/2"	12	8,00 \$
OSC HTE015	Broom Connection Adapter 2"	12	11,00 \$



Aluminum Flat Brooms

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HTE016	1 1/2" Flat Model Broom (Clip Type)	0,32x0,51x0,13	2,45	45,00 \$
OSC HTE017	2" Flat Model Broom (Bolt Type)	0,32x0,51x0,13	2,78	50,00 \$
OSC HTE018	1 1/2" Flat Model Broom - 60cm (Bolt Type)	0,32x0,51x0,13	2,45	48,00 \$
OSC HTE019	2" Flat Model Broom - 60cm (Bolt Type)	0,32x0,51x0,13	2,78	55,00 \$
OSC HTE020	2" Flat Model Süpürge - 60cm (Civatalı Tip)	0,32x0,51x0,13	3,50	95,00 \$



Aluminum Telescopic Handle

Code	Material Type	Box Size	Kg/ Quantity	Price
OSC HTE021	2x2 Telescopic Handle	2,20x0,13x0,13	1,22	33,00 \$
OSC HTE022	2x2,5 Telescopic Handle	2,75x0,13x0,13	1,36	37,00 \$
OSC HTE023	2x3 Telescopic Handle	3,20x0,13x0,13	1,85	47,00 \$
OSC HTE024	3x3 Telescopic Handle	3,20x0,13x0,13	2,25	85,00 \$
OSC HTE059	4x3 Telescopic Handle	3,20x0,15x0,15	3,50	110,00 \$



Oscarpool EVA Hose

Code	Material Type	Box Size	Kg/ Quantity	Price/mt
OSC HTE025	1 1/2" Oscarpool EVA Hose	0,65x0,65x0,30	-	5,00 \$
OSC HTE026	2" Oscarpool EVA Hose	0,67x0,67x0,43	-	6,00 \$

Our Oscarpool Eva Hoses are produced in lengths of 10 - 15 - 20 - 25 - 30 meters.




Vacuum Hose

Code	Material Type	Box Size	Kg/ Quantity	Price/mt
OSC HTE031	1 1/2" Vakum Hortumu - 50 mt	0,72x0,72x0,50	9,00	6,00 \$
OSC HTE032	2" Vakum Hortumu - 50 mt	0,84x0,84x0,52	13,25	7,50 \$



Hose Adapters

Code	Material Type	Kg/Quantity	Price/mt
OSC HTE033	1 1/2" - 2" Hose Adapter	0,05	7,00 \$
OSC HTE035	1 1/2" Hose Adapter	0,03	5,00 \$



Pool Scoop

Code	Material Type	Kg/Quantity	Price
OSC HTE036	Deep Bottom Pool Scoop Wide	0,50	14,00 \$
OSC HTE037	Deep Bottom Pool Scoop Economical	0,40	8,00 \$



Curved Type Brush (Clip)

Code	Material Type	Kg/Quantity	Price
OSC HTE038	Flat Type Brush - 26 cm	0,15	7,00 \$
OSC HTE039	Curved Brush - 45 cm	0,30	9,00 \$
OSC HTE040	Curved Metal Handle Brush - 45 cm	0,50	14,00 \$



Stainless Brush (Clip)

Code	Material Type	Kg/Quantity	Price
OSC HTE041	Cr-Ni Wire Long Algae Brush 26 cm	0,30	13,00 \$
OSC HTE042	Cr-Ni Wire Long Algae Brush 12,5 cm	0,16	11,00 \$



Corner Brush (Clip)

Code	Material Type	Kg/Quantity	Price
OSC HTE043	Corner Brush	0,20	25,00 \$



Thermometers

Code	Material Type	Kg/Quantity	Price
OSC HTE044	Thermometer with thread - Economical	0,05	6,00 \$
OSC HTE045	Floating Type Pool Thermometer	0,20	20,00 \$



Dispenser

Code	Material Type	Kg/Quantity	Price
OSC HTE046	Dispenser - Tablet Float	0,33	12,00 \$



Liner Type Pool Vacuum

Code	Material Type	Kg/Quantity	Price
OSC HTE047	Liner Type Triangle Pool Vacuum	1,10	35,00 \$



Liner Type Pool Vacuum (Weight)

Code	Material Type	Kg/Quantity	Price
OSC HTE048	Liner Type Butterfly Model Pool Vacuum	0,90	35,00 \$



Liner Type Pool Vacuum (Wheel Type)

Code	Material Type	Kg/Quantity	Price
OSC HTE049	Liner Type Pool Vacuum (Wheel Type)	1,00	33,00 \$





Q S C A R
P O O L

**TEXPOOL POOL
LINER
64-69**

tex|POOL - FLAG

Excellent Performance
in Pools with Four-Layer
Technology




TEXPOOL-FLAG

is a synthetic (PVC-P) pool membrane reinforced with polyester and consisting of four PVC layers.

TEXPOOL can be used on all types of concrete, steel prefabricated surfaces, in new or existing swimming pools.

FEATURES

"BIO-SHIELD" High resistance to UV rays
High puncture resistance
Excellent welding capability
Note affected by hot-cold cycles
Resistant to chemical products used for water cleaning
in swimming pools Produced according to
EN 15836-2:2010 / ISO 9001 VE ISO 14001 Standards.





LINERS GLOSSY



57504/MNB

57504/SB

57504/MMB

57503/AB

57503/STON


57503/HB

57503/CA

Pool Liners			
Code	Material Type	Thickness (mm)	Price
OSC HLK001	57504 MNB Patterned Liner - Glossy	1,5 mm	45,00 \$
OSC HLK002	57504 SB Patterned Liner - Glossy	1,5 mm	45,00 \$
OSC HLK003	57504 MMB Patterned Liner - Glossy	1,5 mm	45,00 \$
OSC HLK004	57503 AB Single Color Liner - Glossy	1,5 mm	40,00 \$
OSC HLK005	57504 STON Patterned Liner - Glossy	1,5 mm	45,00 \$
OSC HLK006	57503 HB TSingle Color Liner - Glossy	1,5 mm	40,00 \$
OSC HLK007	57503 CA Single Color Liner - Glossy	1,5 mm	40,00 \$

All liners are sold as 40 m2 and in multiples of 40 m2. (The liner is 1.60 meters wide and 25 meters long.)

LINERS UNICOLOR



53594/AB

53594/CA

53594/DB

53594/GB

53594/GC

53594/NB

53594/HB

Pool Liners			
Code	Material Type	Thickness (mm)	Price
OSC HLK008	53594 AB Single Color Liner - Matte	1,5 mm	35,00 \$
OSC HLK009	53594 CA Single Color Liner - Matte	1,5 mm	35,00 \$
OSC HLK010	53594 DB Single Color Liner - Matte	1,5 mm	35,00 \$
OSC HLK011	53594 GB Single Color Liner - Matte	1,5 mm	35,00 \$
OSC HLK012	53594 GC Single Color Liner - Matte	1,5 mm	35,00 \$
OSC HLK013	53594 NB Single Color Liner - Matte	1,5 mm	35,00 \$
OSC HLK014	53594 HB Single Color Liner - Matte	1,5 mm	35,00 \$


All liners are sold as 40 m2 and in multiples of 40 m2. (The liner is 1.60 meters wide and 25 meters long.)



LINERS GLOSSY - Pool Liners

Code	Material Type	Coarselik (mm)	Price
OSC HLK015	Antislip - Glossy	1,5 mm	45,00 \$

All liners are sold as 15 m2 and in multiples of 15 m2. (The liner is 1.50 meters wide and 10 meters long.)



ANTISLIP

LINERS UNICOLOR - Pool Liners

Code	Material Type	Coarselik (mm)	Price
OSC HLK016	Antislip - Matte	1,5 mm	40,00 \$


All liners are sold as 15 m2 and in multiples of 15 m2. (The liner is 1.50 meters wide and 10 meters long.)



ANTISLIP


Liner Edge Profile

Code	Material Type	Mt / Box	Price
OSC HDU086	Liner Edge Profile - 2,5 mt	125 mm	3,50 \$



Liner Head Profile


Code	Material Type	Mt / Box	Price
OSC HDU087	Liner Head Profile - 2,5 mt	125 mm	3,50 \$





**High-Performance
PVC**

Layer 1 & 2



**Polyester
Reinforcement**

High-Performance PVC
Layer 3 & 4

**Top Layer
Coating**

Excellent Performance in Pools
with Four-Layer Technology



Q S C A R
P O O L



**POOL GLASS MOSAIC
HANDLES &
NON-SLIP MATS
70-77**

Striped Handles

Code	Material Type	Price
OSC HDU113	12,5 x 25 cm Striped Pool Handle Inner Corner	20,00 \$
OSC HDU114	12,5 x 12,5 cm Striped Pool Handle Inner Corner	30,00 \$
OSC HDU115	12,5 x 12,5 cm Striped Pool Handle Outer Corner	30,00 \$
OSC HDU116	25 x 25 cm Striped Pool Handl	25,00 \$
OSC HDU117	25 x 25 cm Striped Pool Handle Inner Corner	35,00 \$
OSC HDU118	25 x 25 cm Striped Pool Handle Outer Corner	35,00 \$

Gingham Handles

Code	Material Type	Price
OSC HDU119	12,5 x 25 cm Gingham Pool Handle	30,00 \$
OSC HDU120	12,5 x 12,5 cm Gingham Pool Handle Inner Corner	45,00 \$
OSC HDU121	12,5 x 12,5 cm Gingham Pool Handle Outer Corner	45,00 \$
OSC HDU122	25 x 25 cm Gingham L Pool Handle	40,00 \$
OSC HDU123	25 x 25 cm Gingham L Pool Handle Inner Corner	60,00 \$
OSC HDU124	25 x 25 cm Gingham L Pool Handle Outer Corner	60,00 \$

Çizgili Kaymazlar

Code	Material Type	Price
OSC HDU125	12,5 x 25 cm Striped Pool Anti-Slip	3,00 \$
OSC HDU126	12,5 x 12,5 cm Striped Pool Anti-Slip Corner	4,50 \$

Pötikare Tutamaklar


Code	Material Type	Price
OSC HDU127	12,5 x 25 cm Gingham Pool Anti-Slip	3,50 \$
OSC HDU128	12,5 x 12,5 cm Gingham Pool Anti-Slip Corner	7,50 \$
OSC HDU129	25 x 25 cm Gingham L Pool Anti-Slip	60,00 \$
OSC HDU130	25 x 25 cm Gingham L Pool Anti-Slip Inner Corner	90,00 \$
OSC HDU131	25 x 25 cm Gingham L Pool Anti-Slip Outer Corner	90,00 \$




Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ005	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ025	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ026	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ027	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ028	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ029	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ030	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ031	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ032	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ037	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ052	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ053	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ060	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ081	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ080	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ082	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ083	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ117	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ118	Glass Type 4.5 mm	25x25 mm	30,00 \$




Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ119	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ137	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ138	Glass Type 4.5 mm	25x25 mm	30,00 \$



Marbling Series			
Code	Material Type	Dimensions	Price
OSC HVZ109	Glass Type 4.5 mm	38x38 mm	30,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ183	Glass Type 4.5 mm	25x25 mm	40,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ184	Glass Type 4.5 mm	25x25 mm	40,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ185	Glass Type 6.2 mm	25x25 mm	40,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ186	Glass Type 6.2 mm	25x25 mm	40,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ187	Glass Type 6.2 mm	25x25 mm	40,00 \$




Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ188	Glass Type 6.2 mm	25x25 mm	40,00 \$



Marbling Series

Code	Material Type	Dimensions	Price
OSC HVZ341	Glass Type 7.5 mm	-	75,00 \$





QSCAR
POOL



QSCAR
POOL



**OLYMPIC POOL
MATERIALS**

78-87


Polyester Fixed Diving Platform

Code	Material Type	Kg / Pieces	Price
OSC OLP046	400 mm Platform-Polyester	-	450,00 \$
OSC OLP047	700 mm Platform-Polyester	-	580,00 \$




Polyester Fixed Diving Platform

Code	Material Type	Kg / Pieces	Price
OSC OLP001	400 mm Platform-AISI 304	10,50	565,00 \$
OSC OLP002	700 mm Platform-AISI 304	11,00	770,00 \$
OSC OLP003	400 mm Platform-AISI 316	10,50	800,00 \$
OSC OLP004	700 mm Platform-AISI 316	11,00	1.100,00 \$



Stainless Steel Adjustable Diving Platform



Code	Material Type	Kg / Pieces	Price
OSC OLP005	400 mm Platform-AISI 304	17,50	700,00 \$
OSC OLP006	700 mm Platform-AISI 304	23,50	950,00 \$
OSC OLP007	400 mm Platform-AISI 316	17,50	1.100,00 \$
OSC OLP008	700 mm Platform-AISI 316	23,50	1.350,00 \$



Polyester Fixed Diving Platform


Code	Material Type	Kg / Pieces	Price
OSC OLP009	Turn Panel - Width 2 m	12,000	460,00 \$
OSC OLP010	Turn Panel - Width 2,5 m	14,000	490,00 \$
OSC OLP011	Panel Support. AISI 304 Quality Stainless Steel	7,000	300,00 \$

TURN PANELS - with mesh partition, AISI 304 quality stainless steel frame.
Height: 300 mm. Excluding panel support.
Note: Stainless steel anchors are Note included in the price.




Return Sign Poles


Code	Material Type	Kg / Pieces	Price
OSC OLP012	Sign Pole - 12,5 m Wide Pool-AISI 304	16,000	294,00 \$
OSC OLP013	Sign Pole - 25 m Wide Pool-AISI 304	14,000	355,00 \$
OSC OLP014	Sign Pole - 12,5 m Wide Pool-AISI 316	16,000	396,00 \$
OSC OLP015	Sign Pole - 25 m Wide Pool-AISI 316	14,000	478,00 \$




RETURN SIGN POLES - Consist of 2 pieces of Ø42 mm tube, H = 1.8 m pole made of AISI 304 quality stainless steel, plastic rope, and flags.
For a pool width of 21 meters, Ø43 mm tube is used, and for 25 meters, Ø48 mm tube is used.
Note: Stainless steel anchors are Note included in the price.



Different Product Placement for Race Pools:







Incorrect Exit Sign Poles

Code	Material Type	Kg / Pieces	Price
OSC OLP016	Sign Pole - 12,5 m Wide Pool-AISI 304	12,000	294,00 \$
OSC OLP017	Sign Pole - 25 m Wide Pool-AISI 304	14,000	355,00 \$
OSC OLP018	Sign Pole - 12,5 m Wide Pool-AISI 316	12,000	396,00 \$
OSC OLP019	Sign Pole - 25 m Wide Pool-AISI 316	14,000	478,00 \$

INCORRECT EXIT SIGN POLES - Consist of 2 pieces of Ø42 mm tube, H = 1.8 m pole made of AISI 304 quality stainless steel, plastic rope, ball and buoys.
For a pool width of 21 meters, Ø43 mm tube is used, and for 25 meters, Ø48 mm tube is used.
Note Stainless steel anchors are Note included in the price.



Anchors

Code	Material Type	Kg / Pieces	Price
OSC OLP020	Straight Anchor - for AISI 304 042 mm pipe.	1,020	50,00 \$
OSC OLP021	Inclined Anchor - for AISI 304 042 mm pipe.	1,020	50,00 \$



Anchors


Code	Material Type	Kg / Pieces	Price
OSC OLP022	Water Surface Hanger Part	0,520	50,00 \$

For the attachment of the separator in the overflow pools with stainless steel anchors.



Anchors

Code	Material Type	Kg / Pieces	Price
OSC OLP023	Hanger Hook Anchor	0,460	55,00 \$



Anchors

Code	Material Type	Kg / Pieces	Price
OSC OLP024	Straight Anchor with Piston AISI 304	0,566	55,00 \$

Stainless steel separator anchor for pool curtain wall.




Rome Model Lane Separators

Code	Material Type	Kg / Pieces	Price
OSC OLP025	Lane Separator - Length 25 m	8,700	390,00 \$
OSC OLP026	Lane Separator - Length 50 m	14,400	750,00 \$

Complete with plastic balls, polyester rope and one hook.
There are 24 separator balls in one meter.

Technical Specifications

Code	L (m)	A (m)	Number of Colored Rome Separators	Number of White Separators
OSC OLP025	25	27	232	318
OSC OLP026	50	52	232	868





Seul Model Lane Separators

Code	Material Type	Kg / Pieces	Price
OSC OLP027	Lane Separators - Length 25 m	23,700	550,00 \$
OSC OLP028	Lane Separators - Length 50 m.	47,400	900,00 \$

Complete with plastic balls, polyester rope and one hook.
There are 19 separator balls and 19 separator elements in one meter.

Technical Specifications

Code	L (m)	A (m)	Number of Colored Seul Separators	Number of White Rome Separators	Number of White Seul Separators	Number of Colored Roma Separators
OSC OLP027	25	27	178	178	268	269
OSC OLP028	50	52	178	178	174	715





Moscow Model Lane Separators

Code	Material Type	Kg / Pieces	Price
OSC OLP029	Lane Separator - Length 25 m	23,700	600,00 \$
OSC OLP030	Lane Separator - Length 50 m	47,400	1.250,00 \$

Technical Specifications

Code	L (m)	A (m)	Number of Colored Moscow Separators	Number of White Rome Separators	Number of White Moscow Separators	Number of Colored Rome Separators
OSC OLP029	25	27	192	96	192	143
OSC OLP030	50	52	192	96	192	378





Referee and Lifeguard Chair

Code	Material Type	Kg / Pieces	Price
OSC OLP031	Referee and Lifeguard Chair AISI 304	-	1.705,00 \$
OSC OLP032	Referee and Lifeguard Chair AISI 316	-	2.300,00 \$

Note:(Made of Ø43 mm pipe)

Chromed Separator Parts

Code	Material Type	Kg / Pieces	Price
OSC OLP037	Spring Model Bronze Cast Chromed Tensioner	0,686	195,00 \$



Chromed Separator Parts

Code	Material Type	Kg / Pieces	Price
OSC OLP038	Clamp Model AISI 304 P.Ç Tensioner with a Hook on Both Ends	0,182	50,00 \$



Separator Collection Cart


Code	Material Type	Kg / Pieces	Price
OSC OLP033	Separator Collection Wheel - Width 1,20 mt AISI 304	25,00	1.600,00 \$
OSC OLP034	Separator Collection Wheel - Width 1,80 mt AISI 304	30,00	1.750,00 \$
OSC OLP035	Separator Collection Wheel - Width 1,20 mt AISI 310	25,00	2.160,00 \$
OSC OLP036	Separator Collection Wheel - Width 1,80 mt AISI 310	30,00	2.370,00 \$

Note: (Made of Ø42 mm pipe)



Technical Specifications

Length	A	B	C	D	E	F	G	H
1200 mm	1484	1135	974	1175	685	980	924	1130
1800 mm	2036	1684	1526	1175	685	980	924	1130



Separator Capacity

Width	Separator Model	Seul Model	Rome Model	Moscow Model
1,20 m	25 m	4	8	4
	50 m	8	4	2
1,80 m	25 m	6	12	6
	50 m	3	6	3

Straight Hook

Code	Material Type	Kg / Pieces	Price
OSC OLP039	Straight Hook AISI 304 P.Ç.	0,048	15,00 \$



Separator Tension Spring

Code	Material Type	Kg / Pieces	Price
OSC OLP040	Separator Tension Spring AISI 304 P.Ç.	0,048	160,00 \$






Q S C A R
P O O L



SPARE PARTS

88-97


BEST MODEL PUMP (0,75/1,0/1,5/2,0/3,0 HP)



Oscarpool Pool Pumps Spare Part List

No	Part Name	0,7-1 HP		1,5 HP		2 HP		3 HP	
		Code	Price (\$) / pie	Code / Code	Price (\$) / pie	Code	Price (\$) / pie	Code	Price (\$) / pie
1	Prefilter Nut	OSC YDP001	14,95 \$	OSC YDP001	15,70 \$	OSC YDP001	15,70 \$	OSC YDP001	15,70 \$
2	Prefilter Cover	OSC YDP002	22,00 \$	OSC YDP002	22,95 \$	OSC YDP002	22,95 \$	OSC YDP002	22,95 \$
3	Prefilter O-Ring Under the Cover	OSC YDP003	5,06 \$	OSC YDP003	5,30 \$	OSC YDP003	5,30 \$	OSC YDP003	5,30 \$
4	Strainer	OSC YDP004	24,75 \$	OSC YDP004	26,00 \$	OSC YDP004	26,00 \$	OSC YDP004	26,00 \$
5	Prefilter Cap	OSC YDP005	-	OSC YDP005	-	OSC YDP005	-	OSC YDP005	-
6	Prefilter Body	OSC YDP006	53,00 \$	OSC YDP006	52,70 \$	OSC YDP006	52,70 \$	OSC YDP006	52,70 \$
7	Prefilter Bolt	OSC YDP007	1,35 \$	OSC YDP007	1,45 \$	OSC YDP007	1,45 \$	OSC YDP007	1,45 \$
8	M8 Washer	OSC YDP008	0,40 \$	OSC YDP008	0,40 \$	OSC YDP008	0,40 \$	OSC YDP008	0,40 \$
9	Prefilter Intermediate Seal	OSC YDP009	3,35 \$	OSC YDP009	3,52 \$	OSC YDP009	3,52 \$	OSC YDP009	3,52 \$
10	Prefilter Spacer	OSC YDP010	5,00 \$	OSC YDP010	5,25 \$	OSC YDP010	5,25 \$	OSC YDP010	5,25 \$
11	11/2" External Threaded Fitting	OSC YDP011	-	OSC YDP011	-	OSC YDP011	-	OSC YDP011	-
12	Fitting O-Ring	OSC YDP012	-	OSC YDP012	-	OSC YDP012	-	OSC YDP012	-
13	Pump Body Bolt	OSC YDP013	0,80 \$	OSC YDP013	0,85 \$	OSC YDP013	0,85 \$	OSC YDP013	0,85 \$
14	Pump Body Bottom Bolt	OSC YDP014	1,15 \$	OSC YDP014	1,15 \$	OSC YDP014	1,15 \$	OSC YDP014	1,15 \$
15	Bolt Nut	OSC YDP015	0,70 \$	OSC YDP015	0,74 \$	OSC YDP015	0,74 \$	OSC YDP015	0,74 \$
16	Front Body	OSC YDP016	83,00 \$	OSC YDP016	87,00 \$	OSC YDP016	87,00 \$	OSC YDP016	87,00 \$
17	Diffuser Seal	OSC YDP017	1,50 \$	OSC YDP017	1,56 \$	OSC YDP017	1,56 \$	OSC YDP017	1,56 \$
18	Diffuser	OSC YDP018	11,50 \$	OSC YDP018	12,09 \$	OSC YDP018	12,09 \$	OSC YDP018	12,09 \$
19	Left Screw	OSC YDP019	4,00 \$	OSC YDP019	4,20 \$	OSC YDP019	4,20 \$	OSC YDP019	4,20 \$
20	Body O-Ring	OSC YDP020	8,00 \$	OSC YDP020	8,40 \$	OSC YDP020	8,40 \$	OSC YDP020	8,40 \$
21	Washerley	OSC YDP021	26,45 \$	OSC YDP021	26,45 \$	OSC YDP021	26,45 \$	OSC YDP021	26,45 \$
22	Mechanical Ceramic Seal	OSC YDP022	46,00 \$	OSC YDP022	46,00 \$	OSC YDP022	46,00 \$	OSC YDP022	46,00 \$
23	Rear Body	OSC YDP023	89,70 \$	OSC YDP023	89,70 \$	OSC YDP023	89,70 \$	OSC YDP023	89,70 \$
24	Flinger Ring	OSC YDP024	0,80 \$	OSC YDP024	0,84 \$	OSC YDP024	0,84 \$	OSC YDP024	0,84 \$
25	Electric Motor								
	0,75 KW Single Phase (Mono-phase)	OSC YDP025	218,50 \$	OSC YDP025	262,20 \$	OSC YDP025	300,15 \$	OSC YDP025	333,50 \$
	1,1 KW Single Phase (Mono-phase)								
	1,5 KW Single Phase (Mono-phase)								
	0,75 KW Three Phase (Three-phase)								
	1,1 KW Three Phase (Three-phase)	OSC YDP025	195,50 \$	OSC YDP025	218,50 \$	OSC YDP025	278,30 \$	OSC YDP025	318,55 \$
	1,5 KW Three Phase (Three-phase)								
	2,2 KW Three Phase (Three-phase)								
26	Motor Bolt	OSC YDP026	1,25 \$	OSC YDP026	1,27 \$	OSC YDP026	1,27 \$	OSC YDP026	1,27 \$
27	Leg	OSC YDP027	30,00 \$	OSC YDP027	29,90 \$	OSC YDP027	29,90 \$	OSC YDP027	29,90 \$
28	Leg Rubber	OSC YDP028	0,80 \$	OSC YDP028	0,81 \$	OSC YDP028	0,81 \$	OSC YDP028	0,81 \$


STORM MODEL PUMP (3,5/4,5/5,5 HP)



Oscarpool Pool Pumps Spare Parts List

No	Part Name	3,5 HP		4,5 HP		5,5 HP	
		Code	Price (\$) /pie	Code	Price (\$) /pie	Code	Price (\$) /pie
1	Cover Key	OSC YDP029	10,00 \$	OSC YDP029	10,00 \$	OSC YDP029	10,00 \$
2	Prefilter Nut	OSC YDP030	14,72 \$	OSC YDP030	14,72 \$	OSC YDP030	14,72 \$
3	Prefilter Cover	OSC YDP031	26,22 \$	OSC YDP031	26,22 \$	OSC YDP031	26,22 \$
4	Prefilter O-Ring Under the Cover	OSC YDP032	5,23 \$	OSC YDP032	5,23 \$	OSC YDP032	5,23 \$
5	Strainer Handle	OSC YDP033	3,14 \$	OSC YDP033	3,14 \$	OSC YDP033	3,14 \$
6	Strainer	OSC YDP034	51,75 \$	OSC YDP034	51,75 \$	OSC YDP034	51,75 \$
7	Pipe Connection O-Ring	OSC YDP035	3,91 \$	OSC YDP035	3,91 \$	OSC YDP035	3,91 \$
8	Pipe Connection	OSC YDP036	6,44 \$	OSC YDP036	6,44 \$	OSC YDP036	6,44 \$
9	Nut	OSC YDP037	8,40 \$	OSC YDP037	8,40 \$	OSC YDP037	8,40 \$
10	Prefilter Cap	OSC YDP038	2,13 \$	OSC YDP038	2,13 \$	OSC YDP038	2,13 \$
11	Prefilter Body	OSC YDP039	205,16 \$	OSC YDP039	205,16 \$	OSC YDP039	205,16 \$
12	Prefilter Bolt	OSC YDP040	3,16 \$	OSC YDP040	3,16 \$	OSC YDP040	3,16 \$
13	Body Bolt	OSC YDP041	2,76 \$	OSC YDP041	2,76 \$	OSC YDP041	2,76 \$
14	Filter Connection O-Ring	OSC YDP042	3,91 \$	OSC YDP042	3,91 \$	OSC YDP042	3,91 \$
15	Front Body	OSC YDP043	146,51 \$	OSC YDP043	146,51 \$	OSC YDP043	146,51 \$
16	Pipe Connection O-Ring	OSC YDP044	1,61 \$	OSC YDP044	1,61 \$	OSC YDP044	1,61 \$
17	Pipe Connection	OSC YDP045	3,45 \$	OSC YDP045	3,45 \$	OSC YDP045	3,45 \$
18	Nut	OSC YDP046	4,83 \$	OSC YDP046	4,83 \$	OSC YDP046	4,83 \$
19	Leg Connection Bolt	OSC YDP047	4,20 \$	OSC YDP047	4,20 \$	OSC YDP047	4,20 \$
20	Leg	OSC YDP048	23,00 \$	OSC YDP048	23,00 \$	OSC YDP048	23,00 \$
21	Leg Rubber	OSC YDP049	5,29 \$	OSC YDP049	5,29 \$	OSC YDP049	5,29 \$
22	Diffuser O-Ring	OSC YDP050	4,20 \$	OSC YDP050	4,20 \$	OSC YDP050	4,20 \$
23	Diffuser	OSC YDP051	23,00 \$	OSC YDP051	23,00 \$	OSC YDP051	23,00 \$
24	Washerley Connection Bolt	OSC YDP052	5,29 \$	OSC YDP052	5,29 \$	OSC YDP052	5,29 \$
25	Washerley Connection O-Ring	OSC YDP053	0,58 \$	OSC YDP053	0,58 \$	OSC YDP053	0,58 \$
26	Washerley	OSC YDP054	48,19 \$	OSC YDP054	48,19 \$	OSC YDP054	48,19 \$
27	Mechanical Seal	OSC YDP055	115,00 \$	OSC YDP055	115,00 \$	OSC YDP055	115,00 \$
28	Body O-Ring	OSC YDP056	8,40 \$	OSC YDP056	8,40 \$	OSC YDP056	8,40 \$
29	Rear Body	OSC YDP057	136,28 \$	OSC YDP057	136,28 \$	OSC YDP057	136,28 \$
30	Flinger Ring	OSC YDP058	2,13 \$	OSC YDP058	2,13 \$	OSC YDP058	2,13 \$
31	Electric Motor (Three-phase)	OSC YDP059	473,80 \$	OSC YDP059	473,80 \$	OSC YDP059	473,80 \$
32	Motor Connection Bolt	OSC YDP060	2,13 \$	OSC YDP060	2,13 \$	OSC YDP060	2,13 \$


STORM MODEL PUMP (7,5/10/12,5/15 HP)



Oscarpool Pool Pumps Spare Parts List

No	Part Name	7,5 HP		10 HP		12,5 HP		15 HP	
		Code	Price (\$) /pie	Code	Price (\$) /pie	Code	Price (\$) /pie	Code	Price (\$) /pie
1	Cover Key	OSC YDP061	10,00 \$	OSC YDP029	10,00 \$	OSC YDP091	10,00 \$	OSC YDP121	10,00 \$
2	Prefilter Nut	OSC YDP062	14,72 \$	OSC YDP030	14,72 \$	OSC YDP092	14,72 \$	OSC YDP122	14,72 \$
3	Prefilter Cover	OSC YDP063	26,22 \$	OSC YDP031	26,22 \$	OSC YDP093	26,22 \$	OSC YDP123	26,22 \$
4	Prefilter O-Ring Under the Cover	OSC YDP064	5,23 \$	OSC YDP032	5,23 \$	OSC YDP094	5,23 \$	OSC YDP124	5,23 \$
5	Strainer Handle	OSC YDP065	3,14 \$	OSC YDP033	3,14 \$	OSC YDP095	3,14 \$	OSC YDP125	3,14 \$
6	Strainer	OSC YDP066	51,75 \$	OSC YDP034	51,75 \$	OSC YDP096	51,75 \$	OSC YDP126	51,75 \$
7	Pipe Connection O-Ring	OSC YDP067	3,91 \$	OSC YDP035	3,91 \$	OSC YDP097	3,91 \$	OSC YDP127	3,91 \$
8	Pipe Connection	OSC YDP068	6,44 \$	OSC YDP036	6,44 \$	OSC YDP098	6,44 \$	OSC YDP128	6,44 \$
9	Nut	OSC YDP069	8,40 \$	OSC YDP037	8,40 \$	OSC YDP099	8,40 \$	OSC YDP129	8,40 \$
10	Prefilter Cap	OSC YDP070	2,13 \$	OSC YDP038	2,13 \$	OSC YDP100	2,13 \$	OSC YDP130	2,13 \$
11	Prefilter Body	OSC YDP071	205,16 \$	OSC YDP039	205,16 \$	OSC YDP101	205,16 \$	OSC YDP131	205,16 \$
12	Prefilter Bolt	OSC YDP072	3,16 \$	OSC YDP040	3,16 \$	OSC YDP102	3,16 \$	OSC YDP132	3,16 \$
13	Body Bolt	OSC YDP073	2,76 \$	OSC YDP041	2,76 \$	OSC YDP103	2,76 \$	OSC YDP133	2,76 \$
14	Filter Connection O-Ring	OSC YDP074	3,91 \$	OSC YDP042	3,91 \$	OSC YDP104	3,91 \$	OSC YDP134	3,91 \$
15	Front Body	OSC YDP075	205,28 \$	OSC YDP043	205,28 \$	OSC YDP105	205,28 \$	OSC YDP135	205,28 \$
16	Pipe Connection O-Ring	OSC YDP076	3,91 \$	OSC YDP044	3,91 \$	OSC YDP106	3,91 \$	OSC YDP136	3,91 \$
17	Pipe Connection	OSC YDP077	6,44 \$	OSC YDP045	6,44 \$	OSC YDP107	6,44 \$	OSC YDP137	6,44 \$
18	Nut	OSC YDP078	8,40 \$	OSC YDP046	8,40 \$	OSC YDP108	8,40 \$	OSC YDP138	8,40 \$
19	Leg Connection Bolt	OSC YDP079	4,20 \$	OSC YDP047	4,20 \$	OSC YDP109	4,20 \$	OSC YDP139	4,20 \$
20	Leg	OSC YDP080	36,63 \$	OSC YDP048	36,63 \$	OSC YDP110	36,63 \$	OSC YDP140	36,63 \$
21	Leg Rubber	OSC YDP081	5,29 \$	OSC YDP049	5,29 \$	OSC YDP111	5,29 \$	OSC YDP141	5,29 \$
22	Washerley Connection Bolt	OSC YDP082	5,29 \$	OSC YDP050	5,29 \$	OSC YDP112	5,29 \$	OSC YDP142	5,29 \$
23	Washerley Connection O-Ring	OSC YDP083	0,58 \$	OSC YDP051	0,58 \$	OSC YDP113	0,58 \$	OSC YDP143	0,58 \$
24	Washerley	OSC YDP084	200,00 \$	OSC YDP052	200,00 \$	OSC YDP114	200,00 \$	OSC YDP144	250,00 \$
25	Mechanical Seal	OSC YDP085	152,95 \$	OSC YDP053	152,95 \$	OSC YDP115	152,95 \$	OSC YDP145	152,95 \$
26	Body O-Ring	OSC YDP086	8,40 \$	OSC YDP054	8,40 \$	OSC YDP116	8,40 \$	OSC YDP146	8,40 \$
27	Rear Body	OSC YDP087	152,95 \$	OSC YDP055	152,95 \$	OSC YDP117	152,95 \$	OSC YDP147	152,95 \$
28	Flinger Ring	OSC YDP088	2,53 \$	OSC YDP056	2,53 \$	OSC YDP118	2,53 \$	OSC YDP148	2,53 \$
29	Electric Motor (Three-phase)	OSC YDP089	868,25 \$	OSC YDP057	1.116,65 \$	OSC YDP119	1.495,00 \$	OSC YDP149	3.565,00 \$
30	Motor Connection Bolt	OSC YDP090	2,30 \$	OSC YDP058	2,30 \$	OSC YDP120	2,30 \$	OSC YDP150	2,30 \$
31	Diffuser		86,25 \$		86,25 \$		86,25 \$		86,25 \$


CANADA-SEUL MODEL FİLTRE (500/620/760/920/1050 MM)



Oscarpool Pool Filters Spare Parts List

No	Part Name	500-620 mm		760-920 mm		1050 mm	
		Code	Price (\$) /pie	Code	Price (\$) /pie	Code	Price (\$) /pie
1	Manometer	OSC YDP091	16,10 \$	OSC YDP091	14,00 \$	OSC YDP091	16,10 \$
2	Somun	OSC YDP092	2,30 \$	OSC YDP092	2,00 \$	OSC YDP092	2,30 \$
3	Washer	OSC YDP093	0,35 \$	OSC YDP093	0,30 \$	OSC YDP093	0,35 \$
4	Purge	OSC YDP094	3,45 \$	OSC YDP094	3,00 \$	OSC YDP094	3,45 \$
5	Filter Cover	OSC YDP095	25,30 \$	OSC YDP095	22,00 \$	OSC YDP095	25,30 \$
6	O-Ring Under the Cover	OSC YDP096	10,35 \$	OSC YDP096	9,00 \$	OSC YDP096	10,35 \$
7	Body 500	OSC YDP097	180,55 \$	-	-	-	-
8	Body 620	OSC YDP097	216,20 \$	-	-	-	-
9	Body 760	-	-	OSC YDP097	282,00 \$	-	-
10	Body 920	-	-	OSC YDP097	367,00 \$	-	-
11	Body 1050	-	-	-	-	OSC YDP097	578,84 \$
12	Upper Outlet Collector	OSC YDP098	23,00 \$	OSC YDP098	20,00 \$	OSC YDP098	23,00 \$
13	Fitting 50 Mm	OSC YDP099	10,35 \$	-	-	-	-
14	Fitting 63 Mm	-	-	OSC YDP099	12,00 \$	-	-
15	Fitting 75 Mm	-	-	OSC YDP099	-	OSC YDP099	28,75 \$
16	Lower Outlet Collector	OSC YDP100	23,00 \$	OSC YDP100	20,00 \$	OSC YDP100	23,00 \$
17	Filter Strainer	OSC YDP101	2,30 \$	OSC YDP101	2,00 \$	OSC YDP101	2,30 \$
18	Filter Collector	OSC YDP102	32,20 \$	OSC YDP102	28,00 \$	OSC YDP102	32,20 \$
19	Filter Drain Plug	OSC YDP103	4,37 \$	OSC YDP103	3,80 \$	OSC YDP103	4,37 \$


CANADA-SEUL MODEL FİLTRE (1250/1400 MM)



Oscarpool Pool Filters Spare Parts List

No	Part Name	1250 mm		1400 mm	
		Code	Price (\$) / pie	Code	Price (\$) / pie
1	Manometer	OSC YDP104	18,00 \$	OSC YDP104	20,70 \$
2	Nut	OSC YDP105	2,00 \$	OSC YDP105	2,30 \$
3	Washer	OSC YDP106	0,50 \$	OSC YDP106	0,58 \$
4	Purge	OSC YDP107	3,00 \$	OSC YDP107	3,45 \$
5	Filter Cover	OSC YDP108	136,00 \$	OSC YDP108	156,40 \$
6	O-Ring Under the Cover	OSC YDP109	16,00 \$	OSC YDP109	18,40 \$
7	Body 1250	OSC YDP110	865,00 \$	-	-
8	Body 1400	-	-	OSC YDP110	1,161,50 \$
9	Upper Outlet Collector	OSC YDP111	-	OSC YDP111	-
10	Fitting 90 Mm	OSC YDP112	29,00 \$	OSC YDP112	33,35 \$
11	Lower Outlet Collector	OSC YDP113	-	OSC YDP113	-
12	Filter Strainer	OSC YDP114	2,00 \$	OSC YDP114	2,30 \$
13	Filter Collector	OSC YDP115	76,00 \$	OSC YDP115	87,40 \$
14	Filter Drain Plug	OSC YDP116	20,00 \$	OSC YDP116	23,00 \$


CANADA-SEUL MODEL FİLTRE (1600/2000 MM)



Oscarpool Pool Filters Spare Parts List

No	Part Name	1600 mm		2000 mm	
		Code	Price (\$) /pie	Code	Price (\$) /pie
1	Manometer	OSC YDP117	18,00 \$	OSC YDP117	20,70 \$
2	Nut	OSC YDP118	2,00 \$	OSC YDP118	2,30 \$
3	Washer	OSC YDP119	0,50 \$	OSC YDP119	0,58 \$
4	Purge	OSC YDP120	3,00 \$	OSC YDP120	3,45 \$
5	Filter Cover	OSC YDP121	136,00 \$	OSC YDP121	156,40 \$
6	O-Ring Under the Cover	OSC YDP122	16,00 \$	OSC YDP122	18,40 \$
7	Body 1600	OSC YDP123	1.144,00 \$	-	-
8	Body 2000	-	-	OSC YDP123	2.530,00 \$
9	Upper Outlet Collector	OSC YDP124	-	OSC YDP124	-
10	Fitting 110 Mm	OSC YDP125	29,00 \$	OSC YDP125	33,35 \$
11	Lower Outlet Collector	OSC YDP126	-	OSC YDP126	-
12	Filter Strainer	OSC YDP127	2,00 \$	OSC YDP127	2,30 \$
13	Filter Collector	OSC YDP128	76,00 \$	OSC YDP128	87,40 \$
14	Sand Discharge Gate	OSC YDP129	20,00 \$	OSC YDP129	23,00 \$

AYDINLATMA ARMATÜRLERİ



Oscarpool Lighting Fixtures Spare Parts List

Description	Code	Part No	Price / Pcs
Lamp Outer Case	OSC YDP130	1	9,20 \$
Lamp Nail	OSC YDP131	2	0,40 \$
Lamp Inner Case	OSC YDP132	3	8,05 \$
Lamp Body O-Ring	OSC YDP133	4	2,53 \$
Bulb – Economic	OSC YDP134	5	18,40 \$
Lamp Ring, Lamp Bolt and Nut, Lamp Front Frame Lamp Inner Fitting	OSC YDP135	6	11,50 \$
Lamp inner Fitting	OSC YDP136	7	1,15 \$
Lamp Gasket	OSC YDP137	8	0,58 \$
Lamp Outer Fitting	OSC YDP138	9	1,38 \$



QSCAR
POOL



QSCAR
POOL



QUALITY
98-108



CERTIFICATE OF COMPLIANCE

Nu.: 29082112284

Name and address of certificate owner:

ATLAS GRUP HAVUZ ARITMA İNŞ. TAAH. İTH. İHR.PAZ. SAN. VE TİC.LTD.ŞTİ.
TAVUKÇUYOLU CAD. NO:160 Y.DUDULLU, ÜMRANIYE, İSTANBUL, TÜRKİYE

Name and address of manufacturer:

ATLAS GRUP HAVUZ ARITMA İNŞ. TAAH. İTH. İHR.PAZ. SAN. VE TİC.LTD.ŞTİ.
TAVUKÇUYOLU CAD. NO:160 Y.DUDULLU, ÜMRANIYE, İSTANBUL, TÜRKİYE

Product name:

POOL PUMP FILTERS

Trademark(s):



Product type:

ATS PLS 0400

Variants:

See Page 2/2

Applied directive(s):

2006/42/EC Machinery Directive

Applied standard(s):

EN 60204-1:2018, EN ISO 12100:2010

TESTPLUS confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. This certificate of compliance does not abrogate the compulsory of the manufacturer to issue declaration of conformity. Other relevant directives have to be observed. This certificate was issued on voluntary basis of manufacturer.

Report(s) nu.:

29082112284

Certificate issue date:

29.12.2021

Certificate expiry date:

28.12.2026

The manufacturer shall keep copy of Certificate of Compliance, EU declaration of conformity, its annexes and additions together with technical documentation at the disposal of national authorities for ten years after the product has been placed on the market. The manufacturer shall affix the CE marking to each individual product that is in conformity with the type described in this Certificate of Compliance and satisfies the applicable requirements of related directive.

Check certificate
for validity



Şükrü AYBAR
Technical Regulation Manager
İstanbul, 29.12.2021



TESTPLUS

CERTIFICATE OF COMPLIANCE

Nu.: 29082112284

Product name: POOL PUMP FILTERS

Trademark(s): 

Product type: ATS PLS 0400

Variants:

ATS PLS 0500, ATS PLS 0620, ATS PLS 0760, ATS PLS 0920, ATS PLS 1050, ATS FLT037, ATS FLT001, ATS FLT002, ATS FLT003, ATS FLT038, ATS FLT039, ATS FLT004, ATS FLT037-1, ATS FLT001-1, ATS FLT002-1, ATS FLT003-1, ATS FLT038-1, ATS FLT039-1, ATS FLT004-1, ATS FLT005, ATS FLT006, ATS FLT007, ATS FLT008, ATS FLT009, ATS FLT040, ATS FLT009-M, ATS FLT040-M, ATS FLT005-1, ATS FLT006-1, ATS FLT007-1, ATS FLT008-1, ATS FLT009-1, ATS FLT040-1, ATS FLT009-M1, ATS FLT040-M1, ATS PLS 0400-1, ATS PLS 0500-1, ATS PLS 0620-1, ATS PLS 0760-1, ATS PLS 0920-1, ATS FLT041, ATS FLT042, ATS FLT043, ATS FLT044, ATS FLT045, ATS FLT046, ATS FLT047, ATS ÇKTFLT620, ATS ÇKTFLT800, ATS ÇKTFLT920, ATS ÇKTFLT1050, ATS ÇKTFLT1250, ATS ÇKTFLT620-M, ATS ÇKTFLT800-M, ATS ÇKTFLT920-M, ATS ÇKTFLT1050-M, ATS ÇKTFLT1250-M, ATS ÇKTFLT620-1, ATS ÇKTFLT800-1, ATS ÇKTFLT920-1, ATS ÇKTFLT1050-1, ATS ÇKTFLT1250-1, ATS ÇKTFLT620-M1, ATS ÇKTFLT800-M1, ATS ÇKTFLT920-M1, ATS ÇKTFLT1050-M1, ATS ÇKTFLT1250-M1

Applied directive(s): 2006/42/EC Machinery Directive

Applied standard(s): EN 60204-1:2018, EN ISO 12100:2010

TESTPLUS confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. This certificate of compliance does not abrogate the compulsory of the manufacturer to issue declaration of conformity. Other relevant directives have to be observed. This certificate was issued on voluntary basis of manufacturer.

Certificate issue date: 29.12.2021

Certificate expiry date: 28.12.2026

The manufacturer shall keep copy of Certificate of Compliance, EU declaration of conformity, its annexes and additions together with technical documentation at the disposal of national authorities for ten years after the product has been placed on the market. The manufacturer shall affix the CE marking to each individual product that is in conformity with the type described in this Certificate of Compliance and satisfies the applicable requirements of related directive.

Check certificate
for validity



Şükrü AYBAR
Technical Regulation Manager
İstanbul, 29.12.2021



S.N. 3443



CERTIFICATE OF COMPLIANCE

Nu.: 29082112282

Name and address of certificate owner:

ATLAS GRUP HAVUZ ATIRMA İNŞ. TAAH. İTH. İHR.PAZ. SAN. VE TİC.LTD.ŞTİ.
TAVUKÇUYOLU CAD. NO:160 Y.DUDULLU, ÜMRANIYE, İSTANBUL, TÜRKİYE

Name and address of manufacturer:

ATLAS GRUP HAVUZ ATIRMA İNŞ. TAAH. İTH. İHR.PAZ. SAN. VE TİC.LTD.ŞTİ.
TAVUKÇUYOLU CAD. NO:160 Y.DUDULLU, ÜMRANIYE, İSTANBUL, TÜRKİYE

Product name:

POOL PUMP

Trademark(s):



Product type:

WATER 200/2- SPEED

Variants:

See Page 2/2

Applied directive(s):

2006/42/EC Machinery Directive

Applied standard(s):

EN 809:1998+A1:2009/AC:2010, EN ISO 12100:2010, EN 60204-1:2018

TESTPLUS confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. This certificate of compliance does not abrogate the compulsory of the manufacturer to issue declaration of conformity. Other relevant directives have to be observed. This certificate was issued on voluntary basis of manufacturer.

Report(s) nu.:

29082112282

Certificate issue date:

29.12.2021

Certificate expiry date:

28.12.2026

The manufacturer shall keep copy of Certificate of Compliance, EU declaration of conformity, its annexes and additions together with technical documentation at the disposal of national authorities for ten years after the product has been placed on the market. The manufacturer shall affix the CE marking to each individual product that is in conformity with the type described in this Certificate of Compliance and satisfies the applicable requirements of related directive.

Check certificate
for validity



Şükrü AYBAR
Technical Regulation Manager
İstanbul, 29.12.2021



TESTPLUS TEKNİK KONTROL VE BELGELENDİRME TİC. LTD. ŞTİ.
Abdurrahmanğazi Mah. Ebubekir Cad. No.34/15
Sancaktepe, İstanbul, Türkiye
info@testplus.com.tr



CERTIFICATE OF COMPLIANCE

Nu.: 29082112282

Product name: POOL PUMP

Trademark(s): 

Product type: WATER 200/2- SPEED

Variants:

ATS POM001, ATS POM002, ATS POM003, ATS POM004, ATS POM005,
ATS POM006, ATS POM007, ATS POM008, ATS POM009, ATS POM010,
ATS POM011, ATS POM012, ATS POM013, ATS POM014, ATS POM015,
ATS POM016, ATS POM017, ATS POM018, ATS POM019, ATS POM020,
ATS POM021, ATS POM022, ATS POM023, ATS POM024, ATS POM043,
ATS POM044, ATS POM045, ATS POM046, ATS POM047, ATS POM048,
ATS POM063, ATS POM064, ATS POM065, ATS POM066, ATS POM067,
ATS POM068, ATS POM069, ATS POM070, ATS POM071, ATS POM072,
ATS POM073, ATS POM074, ATS POM075, ATS POM076, ATS POM077,
ATS POM044-T, ATS POM045-T, ATS POM046-T, ATS POM047-T,
ATS POM048-T

Applied directive(s): 2006/42/EC Machinery Directive

Applied standard(s): EN 809:1998+A1:2009/AC:2010, EN ISO 12100:2010, EN 60204-1:2018

TESTPLUS confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. This certificate of compliance does not abrogate the compulsory of the manufacturer to issue declaration of conformity. Other relevant directives have to be observed. This certificate was issued on voluntary basis of manufacturer.


Certificate issue date: 29.12.2021

Certificate expiry date: 28.12.2026

The manufacturer shall keep copy of Certificate of Compliance, EU declaration of conformity, its annexes and additions together with technical documentation at the disposal of national authorities for ten years after the product has been placed on the market. The manufacturer shall affix the CE marking to each individual product that is in conformity with the type described in this Certificate of Compliance and satisfies the applicable requirements of related directive.

Check certificate
for validity




Şükrü AYBAR
Technical Regulation Manager
İstanbul, 29.12.2021





CERTIFICATE OF COMPLIANCE

Nu.: 29082112283

Name and address of certificate owner:

ATLAS GRUP HAVUZ ATIRMA İNŞ. TAAH. İTH. İHR. PAZ. SAN. VE TİC. LTD. ŞTİ.
TAVUKÇUYOLU CAD. NO:160 Y.DUDULLU, ÜMRANIYE, İSTANBUL, TÜRKİYE

Name and address of manufacturer:

ATLAS GRUP HAVUZ ATIRMA İNŞ. TAAH. İTH. İHR. PAZ. SAN. VE TİC. LTD. ŞTİ.
TAVUKÇUYOLU CAD. NO:160 Y.DUDULLU, ÜMRANIYE, İSTANBUL, TÜRKİYE

Product name:

LED POOL LAMP

Trademark(s):



Product type:

ATS HIA006-1

Variants:

ATS HIA007-1, ATS HIA008-1, ATS HIA009-1, ATS HIA010-1, ATS HIA006,
ATS HIA007, ATS HIA008, ATS HIA009, ATS HIA010, ATS HIA006-L,
ATS HIA009-L, ATS HIA012-1, ATS HIA013-1, ATS HIA014-1, ATS HIA015-1,
ATS HIA051-1, ATS HIA012, ATS HIA013, ATS HIA014, ATS HIA015,
ATS HIA051, ATS HIA001, ATS HIA002, ATS HIA003, ATS HIA004,
ATS HIA052, ATS HIA005, ATS HIA053, ATS HIA054, ATS HIA021-1,
ATS HIA022-1, ATS HIA023-1, ATS HIA024-1, ATS HIA025-1, ATS HIA021,
ATS HIA022, ATS HIA023, ATS HIA024, ATS HIA025, ATS HIA019,
ATS HIA020

Applied directive(s):

2014/35/EU Low Voltage Directive

Applied standard(s):

EN 60598-2-18:1994/A1:2012

TESTPLUS confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2014/35/EU Low Voltage Directive with inspection report. This certificate of compliance does not abrogate the compulsory of the manufacturer to issue declaration of conformity. Other relevant directives have to be observed. This certificate was issued on voluntary basis of manufacturer.

Report(s) nu.:

29082112283

Certificate issue date:

29.12.2021

Certificate expiry date:

28.12.2026

The manufacturer shall keep copy of Certificate of Compliance, EU declaration of conformity, its annexes and additions together with technical documentation at the disposal of national authorities for ten years after the product has been placed on the market. The manufacturer shall affix the CE marking to each individual product that is in conformity with the type described in this Certificate of Compliance and satisfies the applicable requirements of related directive.

Check certificate
for validity



Şükrü AYBAR
Technical Regulation Manager
İstanbul, 29.12.2021



ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ ДЕКЛАРАЦИЯ О СООТВЕТСТВИИ



Заявитель Общество с ограниченной ответственностью "ЕМСС ГРУП"

Место нахождения и адрес места осуществления деятельности: Российская Федерация, Москва, 119071, проспект Ленинский, дом 15, 313, основной государственный регистрационный номер: 1067746863458, номер телефона: +74957486901, адрес электронной почты: info@emcc-group.ru

в лице генерального директора Михаленковой Екатерины Валентиновны

заявляет, что Оборудование насосное: насосы для воды в плавательных бассейнах, марка ATLAS GRUP, модели: ATS POM001, ATS POM002, ATS POM003, ATS POM004, ATS POM005, ATS POM006, ATS POM007, ATS POM008, ATS POM009, ATS POM010, ATS POM011, ATS POM012, ATS POM013, ATS POM014, ATS POM015, ATS POM016, ATS POM017, ATS POM018, ATS POM019, ATS POM020, ATS POM021, ATS POM022, ATS POM023, ATS POM024

изготовитель ATLAS GRUP HAVUZ ARITMA INS. TAAH. ITH. IHR. PAZ. SAN. VE TIC. LTD. STI.. Место нахождения и адрес места осуществления деятельности по изготовлению продукции: Tavukcuyolu Cad. No:160, Y.Dudullu, Umraniye, Istanbul, Турция.

Код ТН ВЭД ЕАЭС 8413810000. Серийный выпуск

соответствует требованиям

ТР ТС 010/2011 "О безопасности машин и оборудования", ТР ТС 004/2011 "О безопасности низковольтного оборудования", ТР ТС 020/2011 "Электромагнитная совместимость технических средств"

Декларация о соответствии принята на основании

Протоколов испытаний №№ XSUHM-ON, QEJPH-TY, HAPSI-OI от 02.06.2020 года, выданных Испытательной лабораторией "ПромТехЛаб", аттестат аккредитации РОСС RU.32093.04КЕ0-004. Схема декларирования 1д

Дополнительная информация

ГОСТ 12.2.003-91 "Система стандартов безопасности труда. Оборудование производственное. Общие требования безопасности", ГОСТ 12.2.007.0-75 "Система стандартов безопасности труда. Изделия электротехнические. Общие требования безопасности", раздел 8 ГОСТ 30804.6.2-2013 (IEC 61000-6-2:2005) "Совместимость технических средств электромагнитная. Устойчивость к электромагнитным помехам технических средств, применяемых в промышленных зонах. Требования и методы испытаний", разделы 4, 6-9 ГОСТ 30804.6.4-2013 (IEC 61000-6-4:2006) "Совместимость технических средств электромагнитная. Электромагнитные помехи от технических средств, применяемых в промышленных зонах. Нормы и методы испытаний". Условия хранения продукции в соответствии с ГОСТ 15150-69 "Машины, приборы и другие технические изделия. Исполнения для различных климатических районов. Категории, условия эксплуатации, хранения и транспортирования в части воздействия климатических факторов внешней среды". Срок хранения (службы, годности) указан в прилагаемой к продукции товаросопроводительной и/или эксплуатационной документации.

Декларация о соответствии действительна с даты регистрации по 01.06.2023 включительно



Михаленкова Екатерина Валентиновна

(Ф.И.О. заявителя)

Регистрационный номер декларации о соответствии: ЕАЭС N RU Д-TR.КА01.В.27167/20

Дата регистрации декларации о соответствии: 02.06.2020

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ ДЕКЛАРАЦИЯ О СООТВЕТСТВИИ



Заявитель Общество с ограниченной ответственностью "ЕМСС ГРУП"

Место нахождения и адрес места осуществления деятельности: Российская Федерация, Москва, 119071, проспект Ленинский, дом 15, 313, основной государственный регистрационный номер: 1067746863458, номер телефона: +74957486901, адрес электронной почты: info@emcc-group.ru

в лице генерального директора Михаленковой Екатерины Валентиновны

заявляет, что Оборудование химическое: фильтры для очистки воды в плавательных бассейнах, марка ATLAS GRUP, модели: ATS FLT001, ATS FLT002, ATS FLT003, ATS FLT004, ATS FLT005, ATS FLT006, ATS FLT007, ATS FLT008, ATS FLT009, ATS FLT010, ATS FLT011, ATS FLT012, ATS FLT013, ATS FLT014, ATS FLT015, ATS FLT016, ATS FLT017, ATS FLT018, ATS FLT019, ATS FLT020, ATS FLT021

изготовитель ATLAS GRUP HAVUZ ARITMA INS. TAAH. ITH. IHR. PAZ. SAN. VE TIC. LTD. STI.. Место нахождения и адрес места осуществления деятельности по изготовлению продукции: Tavukcuolu Cad. No:160, Y.Dudullu, Umraniye, Istanbul, Турция.

Код ТН ВЭД ЕАЭС 8421210009. Серийный выпуск

соответствует требованиям

ТР ТС 010/2011 "О безопасности машин и оборудования"

Декларация о соответствии принята на основании

Протокола испытаний № FFOYX-TX от 02.06.2020 года, выданного Испытательной лабораторией "ПромТехЛаб", аттестат аккредитации РОСС RU.32093.04KCE0-004.

Схема декларирования 1д

Дополнительная информация

ГОСТ 12.2.003-91 "Система стандартов безопасности труда. Оборудование производственное. Общие требования безопасности". Условия хранения продукции в соответствии с ГОСТ 15150-69 "Машины, приборы и другие технические изделия. Исполнения для различных климатических районов. Категории, условия эксплуатации, хранения и транспортирования в части воздействия климатических факторов внешней среды". Срок хранения (службы, годности) указан в прилагаемой к продукции товаросопроводительной и/или эксплуатационной документации.

Декларация о соответствии действительна с даты регистрации по 01.06.2023 включительно



М. П.

Михаленкова Екатерина Валентиновна

(Ф.И.О. заявителя)

Регистрационный номер декларации о соответствии: ЕАЭС N RU Д-TR.КА01.В.27166/20

Дата регистрации декларации о соответствии: 02.06.2020

**ATLAS GRUP HAVUZ ARITMA İNŞAAT
TAAHHÜT İTHALAT İHRACAT PAZARLAMA
SAN. VE TİC. LTD. ŞTİ.**

TAVUKÇUYOLU CAD. NO:160 ÜMRANİYE / İSTANBUL/ TÜRKİYE

is audited by DSR Certification and applied
Environmental Management System meet the requirements of

ISO 14001:2015

standard for the following activities.

BUILDING OF SWIMMING POOL AND FOUNTAIN POOL, WASTE WATER TREATMENT, MANUFACTURING
AND SALE OF LASTIC POMPS, GLOBE VALVE, SLEEVE AND FILTER EQUIPMENTS FOR FLUID TRANSFER
LINES DESIGNING, MANUFACTURING AND SELLING

Certificate No: EMS-19.11.350

22.04.2020
Certificate Date

14.04.2025
Certificate Last Issue Date

21.04.2026
Certificate Expiry Date

EA Code: 12-14-17-28



APPROVAL



**ATLAS GRUP HAVUZ ARITMA İNŞAAT
TAAHHÜT İTHALAT İHRACAT PAZARLAMA
SAN. VE TİC. LTD. ŞTİ.**

TAVUKÇUYOLU CAD. NO:160 ÜMRANİYE / İSTANBUL/ TÜRKİYE

is audited by DSR Certification and applied
Occupational and Safety Management System meet the requirements of

ISO 45001:2018

standard for the following activities.

BUILDING OF SWIMMING POOL AND FOUNTAIN POOL, WASTE WATER TREATMENT, MANUFACTURING
AND SALE OF LASTIC PUMPS, GLOBE VALVE, SLEEVE AND FILTER EQUIPMENTS FOR FLUID TRANSFER
LINES DESIGNING, MANUFACTURING AND SELLING

Certificate No: ISG-19.11.350

19.04.2021
Certificate Date

14.04.2025
Certificate Last Issue Date

13.04.2026
Certificate Expiry Date



APPROVAL

QSCAR
POOL



oscarpool.com.tr